

PHILIPS

hue

Light your
home smarter

2026



Your own **smart** lighting system



Table of contents

How Philips Hue works	4
Philips Hue Basics – setup of the system	5
Philips Hue Secure	18
Philips Hue White and Color Ambiance	24
Lightguide bulb	28
Philips Hue Essential	32
Play HDMI Sync Box	36
Play Gradient lightstrip	38
Play Gradient light tube	40
Play bar	42
Fugato	44
Argenta	46
Centura	48
Centris	50
Perifo	52
Gradient Signe	58
Twilight	60
Wall washer	62
Sana/Liane	64
Ensis/Flourish	66
Infuse/Surimu	68
Datura	70
Slim	72
Devote	74
Xamento	76
Tento	78
Lightstrips	80
Moodlighting	86
Philips Hue Iris	88
Outdoor series	
Low volt accessories	92
Amarant/Calla/Lily/Outdoor lightstrip	94
Go portable lamp	98
Festavia string lights	100
Festavia globe string	102
Festavia permanent	104
Impress	106
Nyro/Resonate/Daylo/Dymera	108
Appear/Attract/Discover/Econic	110
Philips Hue White Ambiance	112
Filament	116
Amaze	118
Enrave	120
Tento	122
Being	124
Pillar	126
Runner	128
Aurette	130
Milliskin	132
Devere/Adore	134
Philips Hue White	136
Filament	140
Tento	142
Outdoor series	
Inara/Welcome	144
Lucca/Turaco	146
Smart accessories	148

How Philips Hue works

The possibilities of Philips Hue smart lighting are endless, but the setup — whether with Bluetooth or the Bridge — is simple. Find out how Philips Hue works and how to get started with smart light.



The easy start to smart light

A Bluetooth-controlled system can control lights within Bluetooth range. Set the mood of a single room with any Philips Hue Bluetooth-compatible bulb and the Hue app, which controls up to 10 lights.



Unlock the full experience

Adding a Philips Hue Bridge activates the built-in Zigbee network — a more advanced way to control your lights — and unlocks the full suite of smart lighting

Which option is best for you?




All Philips Hue lights work both with Bluetooth and with the Philips Hue Bridge

Philips Hue with Bluetooth




Easy start to smart light


Add up to 10 Hue smart lights to your room and control them all with the Philips Hue app while within ca 10 meters of the lights.




Create the right atmosphere in one room



Set the right light for every moment



Control up to 10 lights



Control with your voice

Philips Hue Bridge



Unlock the full power of smart lighting

Add a Philips Hue Bridge to your Hue smart lighting system to expand your range of control. It is the heart of your system, managing all your smart LED lights and storing your customised settings – and giving you full control over your smart lights via the Hue app.




Control lights in your entire home and outdoor space



Set up smart accessories



Create smart light routines



Sync light with movies, music and games



Secure your home



Lights turn on automatically as you arrive

Unlock the full power of smart lighting with **Hue Bridge Pro**

The Bridge is the key to smart home experiences like you've never seen before.

The next generation of the Hue smart hub. Powered by a chip that's capable of running complex algorithms and AI-powered features, it's faster and stronger than ever. Turn your lights into motion sensors with MotionAware™, use your security and lights together, and more.



Unlock the full power of smart lighting with **Hue Bridge Pro**



Hue Bridge



Hue Bridge Pro

Bridge or Bridge Pro?

Use our quick comparison guide to see which smart home-lighting control system best suits your needs.

	Bridge	Bridge Pro
Size of smart light set-up	Medium set-up	Large set-up
Maximum number of lights per Bridge	50	150+
Maximum number of controls per Bridge	12	50+
Storage capacity and speed for light scenes	Large capacity, fast response	Very large capacity - 3x more capacity Ultra-fast - 5x faster than Bridge
MotionAware™ Use lights as motion sensors	✗	✓
Create automations	✓	✓
Internet connection	Connected via Ethernet cable to the router	Connected via Ethernet cable or Wi-Fi to router
Placement	Near router	Anywhere in your home
Zigbee security System protection	AES-128 bit encryption per device	Enhanced AES-128-bit full system encryption using Zigbee Trust Center


Philips Hue Basics

Setup of the system

Hue brings smart lighting to everyday homes, allowing anyone to create special moments and automate with light.

Start with Philips Hue your way: Bluetooth or Bridge.

And no worries: even if you start with a Bluetooth-controlled system, you can always add a Bridge.



Smart Home Partners:

Voice (Google, Siri, Alexa)
Apple HomeKit,
Bosch, Innogy, Telekom,
Razer, Vodafone V-Home
(SmartThings)

...

Philips Hue

smart in so many ways

Smart Philips Hue LED bulbs and luminaires

The smart and energy-efficient LED lights bring Philips Hue to life. They deliver bright and beautiful light for your daily activities, special moments, and immersive experiences. They're practical too. They dim. They flash. They pulse. They do pretty much anything you want. And they're available in different shapes, sizes and models to suit your home.



Smart wireless hub: The Bridge

The bridge is the heart of your Philips Hue system that wirelessly connects your smart device to your Philips Hue lights. You can add up to 50 Philips Hue lights and 10 accessories to one bridge.

Linked to your router, it also connects your system to the wider world via the Internet for out-of-home control and other smart features. The Philips Hue bridge is included in all Philips Hue Starter Kits, or you can buy it separately and simply build your own Philips Hue system.



Smart Controls

You can control your Philips Hue system from any device, wherever you are. For the easiest way to set brightness, create timers, change colors (and so much more), choose the Philips Hue app. For even easier control use Hue dimmer switch or Hue tap. Set your favourite scenes and routines and have them always at hand. Battery powered Hue motion sensor will control your lights automatically, set the way you need them and whenever you need them. You don't even have to be at home to control your lights – great for peace of mind.



Smart wireless lighting system

Philips Hue with Bridge is based on ZigBee, a low-power, safe, and reliable technology to control your lights. New features and improvements are continuously added to the system to make it even more useful. Software and firmware updates can be done wirelessly and directly to your lights. The Philips Hue system can be easily integrated with other ZigBee-based systems for additional home automation.



Philips Hue + Matter

The Philips Hue Bridge has been updated to support Matter, meaning that your Hue lights and accessories automatically support Matter too. Matter is based on the principles of simplicity, reliability, interoperability and security and creates a simplified connected experience between Philips Hue and other smart home products. It's a seal of approval that devices built on this protocol will work seamlessly together, both now and well into the future.



Light up your gaming!

Create immersive experiences by syncing your Philips Hue lights with your entertainment content.

Watch, listen or play in new and exciting ways as your favorite video, audio and gaming effects fill the room. Simply link your Philips Hue smart lighting system to movies, music or games and transform your room into an entertainment arena.



Get in the game with smart lights

Experience a new dimension of spatial immersion by bringing in-game environments and effects to the entire room.



See how music comes to life

Sync your Philips Hue lights with the beat of any song whether you want to sit back and relax or get the party started.



Set up your Hue

Step 1

Make sure your Philips Hue lights are powered on and connected to the Bridge 2.0.

Step 2

Set up a new entertainment area in the Philips Hue App.

Step 3

Use the Philips Hue Sync App on your PC/Mac or connect with a supporting smart device to start your experience.

Unlock entertainment with Philips Hue Sync

Philips Hue Sync is a free PC/Mac application for unlocking immersive entertainment with your Hue lights. It creates light scripts on the fly for any content you play on your laptop or desktop, from movies and TV series to music and games.

Sync your Philips Hue lights to your TV screen

Create an immersive media experience via the Philips Hue Play HDMI Sync Box, making your lights dance, flash, dim, and brighten in sync with the on-screen content.



Fast and seamless light experience

Experience no delay as your lights sync to your onscreen content — whether you're watching movies, gaming, or playing music — creating an immersive full-room experience. Watch your favorite content like never before with the sync box.



Immerse yourself in colorful light

The sync box works with all Philips Hue White and color ambiance bulbs or fixtures. Bring your media to life by adding up to 10 Philips Hue color-capable lights to your setup and enjoy surround lighting effects.



Easy to install, set up, and use

A simple setup allows you to easily connect to your Philips Hue Bridge and use your sync box with any TV and HDMI device. Control your entertainment experience and sync box any way you want: with the app, on-product control button, any infrared TV remote, or your voice via Amazon Alexa, Google Assistant and Siri.



Supports high-quality video formats

The Philips Hue Play HDMI Sync Box supports 120Hz with an image resolution of 1080p and 1440p and is compatible with 4K, Dolby Vision, and HDR10+, letting you enjoy the highest quality picture you can get at home — all while your Philips Hue smart lights sync to give you surround lighting.

Unleash your inner rockstar

Turn your bedroom into a concert hall. Crowd surf in your living room. By syncing your smart lights, you can watch your music spill over from your speakers into the room around you in colorful, dynamic light.



Philips Hue + Spotify

Enhance the music experience by using integration between Philips Hue + Spotify. The first of its kind, this deep integration features more precise light scripts — and an even easier way to link your accounts directly in the Philips Hue app.

Hear, see, and feel the music

Music is an emotional experience. Whatever you listen to, you feel. By syncing your lights to a song, you can create your own personal mood music — no matter the genre.



Match light to the beat

We use specially created algorithms to ensure that each light script, which tells your lights how to react to the music, is perfectly tuned to each song — not just the beat but the overall feeling of the music.



Color lights and Hue Bridge required

To see your lights react to music, you need color-capable Philips Hue smart lights and a Hue Bridge.

Philips Hue Secure

Smart home security

Motion and contact sensors, security cameras, and the Security Center in the Hue app work together with your lights, giving you a smart home security system that lets you rest easy with the feeling that someone's always home. Arm and disarm with a tap in the app, get instant motion alerts, trigger light and sound alarms and more.



Monitor your home

Philips Hue Secure is your eyes and ears — both in and around your home. Receive an alert on your mobile device any time your camera or sensor detects motion. Verify your response with live views to saved video clips. You have the tools to choose how you react, no matter where you are.



Trigger alarms

Something seem suspicious? Trigger an alarm that flashes your lights or sound the siren on your Secure camera with a tap in the app. You can even use two-way talk to warn off a potential intruder — or just say hello to a friendly face.



Feel safer with light

Whether you're going out or just going to sleep, arm your Secure system with a tap. Going to be away for a while? Activate the Mimic presence automation to make it look like you're home, even when you're not.



Get it all

The Bridge gives you the full suite of smart features for your Secure setup — light alarms, automations, and more — as well as the ability to expand your home security (or smart lighting!) setup. You can get even more security features, such as smart motion detection zones and access to up to 60 days of video history, with a plan. Choose between Basic or Plus, based on your needs.



8719514492776

Battery camera black

8721103045089

2K Battery camera black

12 W, rechargeable Li-on battery
(VA5978885)

1 130/160 ↔ 76 ↗ 140 mm



8719514492936

Battery camera white

8721103045201

2K Battery camera white

12 W, rechargeable Li-on battery
(VA5978885)

1 130/160 ↔ 76 ↗ 140 mm



871951449267

Battery camera black

8721103045027

2K Battery camera black

9,6 W, 220 V - 240 V

1 90/120 ↔ 76 ↗ 80 mm



8719514492851

Battery camera white

8721103045140

2K Battery camera white

9,6 W, 220 V - 240 V

1 90/120 ↔ 76 ↗ 80 mm



8719514496132

Wired camera with desktop stand, black

8721103045737

Wired 2K camera with desktop stand, black

9,6 W, 220 V - 240 V

1 170 ↔ 76 ↗ 140 mm



8719514496156

Wired camera with desktop stand, white

8721103045775

Wired 2K camera with desktop stand, white

9,6 W, 220 V - 240 V

1 170 ↔ 76 ↗ 140 mm



8719514487161

**Contact sensor 2-pack
black**

0,06 W, battery CR2

1 71 ↔ 23 ↗ 33 mm

Synthetic



8719514487222

**Contact sensor 2-pack
white**

0,06 W, battery CR2

1 71 ↔ 23 ↗ 33 mm

Synthetic



8719514487284

Contact sensor black

0,06 W, battery CR2

1 71 ↔ 23 ↗ 33 mm

Synthetic



8719514487345

Contact sensor white

0,06 W, battery CR2

1 71 ↔ 23 ↗ 33 mm

Synthetic

Hue Secure
Cameras and sensors
Hue Bridge required



8721103037558
Camera USB C power cable, 3m, white
1 100 ↔ 115 ↗ 25 mm
Only available in the
Philips Hue shop



8721103037619
Camera USB C power cable, 3m, black
1 100 ↔ 115 ↗ 25 mm



8720169277243
Smart chime
1 140 ↔ 86 ↗ 72 mm



8720169342200
Wired video doorbell
1 176 ↔ 86 ↗ 108 mm



8720169361584
Smart chime + Wired video doorbell
1 176 ↔ 86 ↗ 108 mm



8720169192317

Starter kit with camera

(2x E27 bulbs, wired camera,
2x contact sensors, bridge)

bulb:

RGB 2200–6500 K, 16 million colors

1100 lm at 4000 K

9 W, 220 V–240 V/50–60Hz Ⓢ – IP20

110 → 60 mm

Aluminium/Glass



8720169159617

Starter kit with contact sensors

(2x E27 bulbs, 3x contact sensors,
motion sensor, bridge)

bulb:

RGB 2200–6500 K, 16 million colors

1100 lm at 4000 K

9 W, 220 V–240 V/50–60Hz Ⓢ – IP20

110 → 60 mm

Aluminium/Glass



8720169160637

Desktop stand black

182 → 70 ↗ 70 mm



8720169160699

Desktop stand white

182 → 70 ↗ 70 mm



8720169177703

Floodlight with camera

RGB 2200–6500 K, 16 million colors
2050 lm at 4000 K
220 V–240 V/50–60Hz Ⓢ – IP20
↑ 245 ↔ 220 mm ↗ 167 mm
Metal



8720169262911

**Camera mount
with ground spike**



8720169160996

Anti-drop cable
Metal



8720169160811

Low-volt cable 3 m
↑ 10 ↔ 10 ↗ 3000 mm

**Philips Hue Secure
Starter kits and accessories**
Requires Philips Hue Bridge



Philips Hue White and Color Ambiance

Set up your lights to work with your lifestyle

Take color light to new heights

Set the light in your living space to your favorite color and truly create your own atmosphere. Add just a hint of color as an accent light or set your whole home to vivid jewel tones — all with the touch of a button.

Set the mood of the room

Instantly change the ambiance by adjusting the brightness, color, and temperature of your lights.

Get light for everyday moments

Use the best light for reading, relaxing, concentrating and energizing.

Control lights with your voice

Use your voice assistant to turn your lights on and off, dim them, and more.



Be creative with million colors

Play with light and choose from 16 million colors to instantly change the look and atmosphere of your room. Set the scene effortlessly with one touch of a button. Use a favourite photo and relive that special moment with splashes of light. Save your favourite light settings and recall them whenever you want with the tap of a finger.

Create an atmosphere unlike any other with dynamic scenes that allow the lights in the room or zone to slowly transition through the different colors of your favorite scene.

Sync lights with music and movies

Extend your TV viewing experience to the whole room or sync light to your favorite music and see how light reacts to the rhythm. Download the third party apps and discover the amazing things you can do with Philips Hue.

Light up your gaming

Lift your gaming experience to the next level. Download the third party apps and discover the amazing things you can do with Philips Hue.

810 lm



D

8720169364349
Philips Hue White and Color Ambiance 6 W E27 A60, only available in the Philips Hue shop



D

8720169364363
Philips Hue White and Color Ambiance 6 W E27 A60 1000-20000 K 2-pack



D

8720169364424
Philips Hue White and Color Ambiance 6 W E27 A60 1000-20000 K 3-pack



D

8720169364486
Philips Hue White and Color Ambiance 6 W E27 A60 1000-20000 K 4-pack

1100 lm



D

8721103107619
Philips Hue White and Color Ambiance 5 W A60 E27 2-pack+ Hue Bridge Pro



D

8719514291355
Philips Hue White and Color Ambiance 5 W A60 E27 1000-20000 K 3-pack + Hue Bridge Pro + Dimmer switch



D

8720169374522
Philips Hue White and Color Ambiance 9 W A60 E27 2000-6500 K 3-pack + Hue Bridge Pro + smart button, only available in the Philips Hue shop



F

8719514291515
Philips Hue White and Color Ambiance 9 W A60 E27 2000-6500 K 3-pack + Hue Bridge Pro



D

8720169374683
Philips Hue White and Color Ambiance 5 W A60 E27 1000-20000 K 2-pack + Hue Bridge Pro + Dimmer switch



D

8720169374508
Philips Hue White and Color Ambiance 5 W A60 E27 1000-20000 K 3-pack + Hue Bridge Pro + Dimmer switch



F

8719514291492
Philips Hue White and Color Ambiance 9 W A60 E27 2000-6500 K 2-pack + Hue Bridge



D

8721103108371
Philips Hue White and Color Ambiance 9 W A60 E27 2000-6500 K 2-pack + Hue Bridge + smart button



D

8720169365735
Philips Hue White and Color Ambiance 8 W A60 E27 1000-20000 K 2-pack



D

8720169364066
Philips Hue White and Color Ambiance 8 W A60 E27 1000-20000 K

1600 lm



D

8720169364226
Philips Hue White and Color Ambiance 12 W A60 E27 1000-20000 K



8720169374560

Philips Hue White and Color Ambiance 4,2 W GU10 3-pack + Hue Bridge Pro + smart button



8720169374546

Philips Hue White and Color Ambiance 5 W GU10 3-pack + Hue Bridge Pro + Dimmer switch



8721103108395

Philips Hue White and Color Ambiance 4,2 W GU10 2000-6500 K 3-pack + Hue Bridge Pro + smart button, only available in the Philips Hue shop



8720169229877

Philips Hue White and Color Ambiance 4,2 W GU10 2000-6500 K 3-pack



8720169229815

Philips Hue White and Color Ambiance 4,2 W GU10 2000-6500 K 3-pack



8720169229754

Philips Hue White and Color Ambiance 4,2 W 2000-6500 K GU10



8719514491649

Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16 2000-6500 K 2 szt.



8719514491403

Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16 2000-6500 K



8719514356719

Philips Hue White and Color Ambiance 4 W E14 B39 2000-6500 K 2 szt.



8719514356610

Philips Hue White and Color Ambiance 4 W E14 B39 2000-6500 K



8719514491281

Philips Hue White and Color Ambiance 5,1 W E14 luster 2000-6500 K 2 szt.



8719514491229

Philips Hue White and Color Ambiance 5,1 W E14 luster 2000-6500 K

Philips Hue White and Color Ambiance bulbs

1521 lm (E27 13,5 W), 1100 lm (E27 9 W), 800 lm (E27 6,5 W) at 4000 K
470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
RGB 2200-6500 K, 16 million colors
Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V-240 V/50-60 Hz

⊕ - IP20

↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3),

↑ 110 ↔ 60 mm (E27 6,5 W, 9 W)

↑ 131 ↔ 67 mm (E27 13,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)

All Philips Hue White and Color Ambiance bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Lightguide bulb



8719514419278
Philips Hue LG Ellipse E27
 ↳ 190 † 206



8720169307728
**Philips Hue Pendant Cord M
 designed for E27 bulb, white**
 ↳ 1750 † 52
 3D printed
 Only available in the Philips Hue shop



8720169307667
**Philips Hue Pendant Cord M designed
 for E27 bulb, black**
 ↳ 1750 † 52
 3D printed



8720169307841
**Philips Hue Pendant Cord L
 designed for E27 bulb, white**
 ↳ 1750 † 52
 3D printed
 Only available in the Philips Hue shop



8720169307780
**Philips Hue Pendant Cord L
 designed for E27 bulb, black**
 ↳ 1750 † 52
 3D printed
 Only available in the Philips Hue shop



8719514433625
**Philips Hue Black Cord E27
 Designed for the Philips Hue Lightguide
 bulb, white**
 ↳ 1500 † 58
 Only available in the Philips Hue shop



8719514419452
**Philips Hue Black Cord E27
 Designed for the Philips Hue
 Lightguide bulb, black**
 ↳ 1500 † 58



8720169311954
Philips Hue LG G125 E27
↔ 176 ↓ 219



8720169311978
Philips Hue LG Triangle E27
↔ 176 ↓ 219



8719514419155
Philips Hue LG G95 E27
↔ 140 ↓ 146



8719514419391
Philips Hue LG ST72 E27
↔ 100 ↓ 146



8720169879942

Hue Table lamp LG Ellipse E27, black

↔ 112 | 130

3D printed

Only available in the Philips Hue shop



8720169879959

Hue Table lamp LG Ellipse E27, sage

↔ 107 | 122

3D printed

Only available in the Philips Hue shop



8720169879966

Hue Table lamp LG Ellipse E27, sand

↔ 107 | 122

3D printed

Only available in the Philips Hue shop



8720169879973

Hue Table lamp LG, black

↔ 112 | 130

3D printed

Only available in the Philips Hue shop



8720169879980

Hue Table lamp LG, black

↔ 112 | 130

3D printed

Only available in the Philips Hue shop



8720169879997

Hue Table lamp LG, black

↔ 112 | 130

3D printed

Only available in the Philips Hue shop

G Lightguide bulb

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Hue White and Color Ambiance

6,5 W, 500 lm at 2700 K

⊕ – IP20

Glass (bulb), Metal/Textile (cord)

Step into the world of smart lighting with **Philips Hue Essential**

Philips Hue Essential products feature full color and tunable white light that you can easily adjust from warm and cozy to cool white light. Set the perfect mood with smooth dimming, millions of colors, and a library of light scenes designed by our experts – or create your own!

Compatible with all Hue products

The Hue Essential range is fully compatible with all Philips Hue products and the Hue ecosystem, so you can easily expand or upgrade whenever you want.

Philips Hue and Philips Hue Essential: What's the difference?

Hue and Hue Essential smart bulbs are both great options for bringing smart lighting into your home, but each range offers a slightly different experience. While the flagship Hue range offers advanced features and premium light quality, Hue Essential provides an easy and accessible way to get started with smart lighting, bringing you essential features and reliable light quality. And since both systems are compatible with each other, you can mix and match as you expand your ecosystem.





F 8720169392182
Philips Hue Essential
 8 W, A60, E27, 806 lm



F 8720169392243
Philips Hue Essential
 8 W, A60, E27, 806 lm,
 2-pack



F 8721103055255
Philips Hue Essential
 8 W, A60, E27, 806 lm,
 3-pack



F 8720169392304
Philips Hue Essential
 8 W, A60, E27, 806 lm,
 4-pack



F 8720169392427
Philips Hue Essential
 5 W, GU10, 345 lm



F 8720169392489
Philips Hue Essential
 5 W, GU10, 345 lm,
 2-pack



F 8721103055330
Philips Hue Essential
 5 W, GU10, 345 lm,
 3-pack



F 8720169392540
Philips Hue Essential
 5 W, GU10, 345 lm,
 4-pack



F 8721103103635
Philips Hue Essential
 8 W, A60, E27, 806 lm
 + Hue Bridge



F 8721103103659
Philips Hue Essential
 8 W, A60, E27, 806 lm
 + Hue Bridge + dimmer
 switch



F 8721103103673
Philips Hue Essential
 8 W, A60, E27, 806 lm,
 3-pack + Hue Bridge



F 8721103103697
Philips Hue Essential
 8 W, A60, E27, 806 lm,
 4 szt. + Hue Bridge
 Only available in the
 Philips Hue shop



F 8721103103710
Philips Hue Essential
 5 W, GU10, 345 lm,
 3-pack + Hue Bridge



F 8721103103734
Philips Hue Essential
 5 W, GU10, 345 lm,
 3-pack + Hue Bridge
 + smart button
 Only available in the
 Philips Hue shop



F 8721103103758
Philips Hue Essential
 5 W, GU10, 345 lm,
 3-pack + Hue Bridge
 + dimmer switch



F 8721103096388
**Philips Hue Essential
 Lightstrip**
 5 m, 15,3 W, gradient



F 8721103096487
**Philips Hue Essential
 Lightstrip**
 10 m, 27,2 W, gradient



F 8721103096586
**Philips Hue Essential
 Taśma LED Neon Flex**
 5 m, 19 W, gradient



F 8721103096685
**Philips Hue Essential
 Taśma LED Neon Flex**
 10 m, 39,5 W, gradient

 **Philips Hue Essential**

RGB 2200–6500 K, 16 million colors

F Lifetime: (E27) 25000 hours, (GU10) 15000 hours

Hue White and Color Ambiance

(E27) 8W, 806 lm at 2700K

(GU10) 5W, 345 lm at 4000K

⊖ – IP20

Synthetic

Philips Hue Play HDMI Sync Box



Play HDMI Sync Box

8719514458666

↔ 182 ↗ 99 ↓ 23 mm

Sync your smart lights to your on-screen TV content with the Philips Hue Play HDMI Sync Box. Four HDMI inputs allow you to connect your media devices to your Hue setup, resulting in a fast, seamless display of colorful smart light that responds to and reflects the content you watch or listen to.

Sync lights with your home theater and TV. Connect up to 4 HDMI devices. Personalize your experience using the app.

**Requires Philips Hue Bridge
and Hue color-capable lights**





Philips Hue Play Gradient lightstrip

Gradient lightstrip

Take the excitement of surround lighting to the next level with the Philips Hue Play gradient lightstrip. This LED strip flawlessly blends multiple colors of light at the same time, mimicking the content on the entire screen for an immersive, full-room entertainment experience unlike any other.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
24 V, 20 W, 1100 lm at 4000 K
⊕ – IP20
Synthetic

**Requires Philips Hue Bridge
and Philips Hue Play sync box**



8718699784751

Play gradient lightstrip 55" EU

↔ 1 400 ↗ 20 ↓ 20

8718699784775

Play gradient lightstrip 65" EU

↔ 1 650 ↗ 20 ↓ 20

8718699784799

Play gradient lightstrip 75" EU

↔ 1 900 ↗ 20 ↓ 20

8720169268111

Play gradient lightstrip mounts

replacement part, only available in the Philips Hue shop






Philips Hue Play gradient light tube

Gradient light tube

Made to sit above or below the TV, the Play gradient light tube features a subtle design (and two sizes!) that blends in with its surroundings — until you see its gradient of colorful light.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
17,4 W (tube), 20 W (tube large)
1540 lm (tube), 1800 lm (tube large)
at 4000 K,  – IP20, Aluminium

**Requires Philips Hue Bridge
and Philips Hue Play sync box**



8718696176290

Play gradient light tube white

↔ 877 ↗ 31 ↓ 34

8718696176313

Play gradient light tube large white

↔ 1377 ↗ 31 ↓ 34



8718696176306

Play gradient light tube black

↔ 877 ↗ 31 ↓ 34

8718696176320

Play gradient light tube large black

↔ 1377 ↗ 31 ↓ 34





Philips Hue
Play



8718696170731
Play extension pack black



8718696170717
Play single pack black

8718696170809
Play extension pack white

8718696170748
Play single pack white



8718696170724
Play double pack black

8718696170793
Play double pack white



8720169389458
Play double pack black + Bridge Pro



8718696171189
Play extension cable 5 m black



8720169267978
Play light bar power adaptor black
replacement part
220-240 V
Only available in the
Philips Hue shop



8720169267954
Play light bar power adaptor white
replacement part
220-240 V
Only available in the
Philips Hue shop



8720169268098
Play light bar stands
replacement part
Only available in the
Philips Hue shop

G Play

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
6,7 W, 500 lm at 4000 K
⊖ – IP20
Synthetic





Philips Hue Fugato



8720169319691
Fugato single spot white
 1 163 ↔ 82 ↗ 82 mm
 4,2 W, 350 lm at 4000 K



8720169319639
Fugato single spot black
 1 163 ↔ 82 ↗ 82 mm
 4,2 W, 350 lm at 4000 K



8720169319455
Fugato double spot white
 1 153 ↔ 195 ↗ 80 mm
 2 × 4,2 W, 2 × 350 lm at 4000 K



8720169319516
Fugato plate white
 1 153 ↔ 195 ↗ 195 mm
 3 × 4,2 W, 3 × 350 lm
 at 4000 K



8720169319332
Fugato plate black
 1 153 ↔ 195 ↗ 195 mm
 3 × 4,2 W, 3 × 350 lm
 at 4000 K



8720169319271
Fugato double spot black
 1 153 ↔ 195 ↗ 80 mm
 2 × 4,2 W, 2 × 350 lm
 at 4000 K




8720169319578
Fugato quadruple spot white
 1 153 ↔ 425 ↗ 80 mm
 4 × 4,2 W, 4 × 350 lm at 4000 K





8720169319394
Fugato quadruple spot black
 1 153 ↔ 425 ↗ 80 mm
 4 × 4,2 W, 4 × 350 lm at 4000 K

 **Fugato**

 RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz, GU10
 Ⓢ – IP20
 Metal





Philips Hue
Argenta



8720169318250
Argenta single spot white
1 127 ↔ 110 ↗ 90 mm
4,2 W, 350 lm at 4000 K



8720169318076
Argenta double spot white
1 127 ↔ 305 ↗ 90 mm
2 × 4,2 W, 2 × 350 lm at 4000 K



8720169318199
Argenta plate white
1 127 ↔ 240 ↗ 240 mm
4 × 4,2 W, 4 × 350 lm
at 4000 K



8720169318137
Argenta triple spot white
1 127 ↔ 480 ↗ 90 mm
3 × 4,2 W, 3 × 350 lm
at 4000 K



Argenta



RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz, GU10
⊕ – IP20
Metal





Philips Hue
Centura



8720169319035
Centura recessed white round
 4,2 W, 350 lm at 4000 K



8720169318793
Centura recessed aluminium round
 4,2 W, 350 lm at 4000 K



8720169318915
Centura recessed black round
 4,2 W, 350 lm at 4000 K



8720169319097
Centura recessed white round 3-pack
 3 × 4,2 W, 3 × 350 lm at 4000 K



8720169318854
Centura recessed aluminium round 3-pack
 3 × 4,2 W, 3 × 350 lm at 4000 K



8720169318977
Centura recessed black round 3-pack
 3 × 4,2 W, 3 × 350 lm at 4000 K




8720169319219
Centura recessed white square
 4,2 W, 350 lm at 4000 K



8720169319158
Centura recessed aluminium square
 4,2 W, 350 lm at 4000 K

Centura

 RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V – 240 V/50–60 Hz, GU10

⊕ – IP20

↔ 90 ↗ 90 mm

cut-out: 70 mm,

recessed: 100 mm

Synthetic





Philips Hue
Centris



8720169318373

Centris 2L ceiling lamp white

2 × 4,2 W GU10 + 11 W integrated;
1560 lm at 4000 K



8720169318311

Centris 2L ceiling lamp black

2 × 4,2 W GU10 + 11 W integrated;
1560 lm at 4000 K



8720169318496

Centris 3L ceiling lamp white


3 × 4,2 W GU10 + 34 W integrated;
3550 lm at 4000 K



8720169318434

Centris 3L ceiling lamp black

3 × 4,2 W GU10 + 34 W integrated;
3550 lm at 4000 K



8720169318731

Centris 3Lcross ceiling lamp white


3 × 4,2 W GU10 + 25 W integrated;
2810 lm at 4000 K



8720169318670

Centris 3Lcross ceiling lamp black


3 × 4,2 W GU10 + 25 W integrated;
2810 lm at 4000 K



8720169318618

Centris 4L ceiling lamp white

4 × 4,2 W GU10 + 40 W integrated;
4200 lm at 4000 K



8720169318557

Centris 4L ceiling lamp black

4 × 4,2 W GU10 + 40 W integrated;
4200 lm at 4000 K



Centris



RGB 2000–6500 K, 16 million colors

Lifetime: 15000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium





Philips Hue Perifo

Minimalist design, maximum potential

Perifo smart track lighting gives you full control over the way you illuminate your space. Sleek, chic and made for any space. Straight lines and sophisticated fixtures make Perifo track lighting a match for any interior design.

Because it isn't your typical track lighting – you can mount it on the ceiling and also on the wall. Once it's installed, you can start with the final touches: angling spotlights, lowering or raising pendant lights and more.





Philips Hue Perifo



8719514407763
Perifo ceiling set black
 ↳ 2215 / 67 mm I 128
 21 W, 2040 lm at 4000 K




8719514407787
Perifo ceiling set white
 ↳ 2215 / 67 mm I 128
 21 W, 2040 lm at 4000 K



G 8719514407800
Perifo ceiling set black
 ↳ 2715 / 67 mm I 128
 29 W, 3580 lm at 4000 K



G 8719514407824
Perifo ceiling set white
 ↳ 2715 / 67 mm I 128
 29 W, 3580 lm at 4000 K




8719514407725
Perifo ceiling set black
↔ 1715 ↗ 67 mm ↓ 288
29 W, 1530 lm at 4000 K



8719514407749
Perifo ceiling set white
↔ 1715 ↗ 67 mm ↓ 288
29 W, 1530 lm at 4000 K



8719514407848
Perifo wall set black
↔ 1504 ↗ 67 mm ↓ 128
29 W, 1530 lm at 4000 K



8719514407862
Perifo wall set white
↔ 1504 ↗ 67 mm ↓ 128
29 W, 1530 lm at 4000 K



G 8719514407886
Perifo wall set black
↔ 2400 ↗ 67 mm ↓ 128
29 W, 3620 lm at 4000 K



G 8719514407909
Perifo wall set white
↔ 2400 ↗ 67 mm ↓ 128
29 W, 3620 lm at 4000 K



8719514407442
Perifo cylinder spotlight black
↔ 177 ↗ 67 mm ↓ 128
5.3 W, 510 lm at 4000 K



8719514407466
Perifo cylinder spotlight white
↔ 177 ↗ 67 mm ↓ 128
5.3 W, 510 lm at 4000 K



8719514407480
Perifo cylinder pendant black
↔ 177 ↗ 67 mm ↓ 288
5.2 W, 510 lm at 4000 K



8719514407503
Perifo cylinder pendant white
↔ 177 ↗ 67 mm ↓ 288
5.2 W, 510 lm at 4000 K



8719514407121 – black
8719514407145 – white

Perifo 2-point ceiling PSU 100W

↔ 226 ↗ 120/342 ↓ 71,5 mm
Only available in the Philips Hue shop



8719514407367 – black
8719514407381 – white

Perifo straight connector

↔ 105 ↗ 16,2 ↓ 18,6 mm
Only available in the Philips Hue shop



8719514407169 – black
8719514407183 – white

Perifo 1-point wall PSU 100W

↔ 226 ↗ 38 ↓ 71,5 mm + 2x kabel 1,5 m
Only available in the Philips Hue shop



8719514407404 – black
8719514407428 – white

Perifo external corner connector

↔ 96 ↗ 96 ↓ 22,6 mm
Only available in the Philips Hue shop



8719514450011 – black
8719514450073 – white

Philips Hue Perifo 1-point ceiling PSU 100W

↔ 226 ↗ 120/342 ↓ 71,5 mm
Only available in the Philips Hue shop



8719514407244 – black
8719514407268 – white

Perifo rail 0.5 m

↔ 501,6 ↗ 26,2 ↓ 23,6 mm
Only available in the Philips Hue shop

8719514407282 – black
8719514407305 – white

Perifo rail 1 m

↔ 1001,6 ↗ 26,2 ↓ 23,6 mm
Only available in the Philips Hue shop

8719514407329 – black
8719514407343 – white

Perifo rail 1,5 m

↔ 1501,6 ↗ 26,2 ↓ 23,6 mm
Only available in the Philips Hue shop



8719514407640 – black
8719514407664 – white

Perifo mounting kit

↔ 16,7 ↓ 144 mm
Only available in the Philips Hue shop



8720169282865 – black
8720169282926 – white

Perifo Flexible connector

↔ 110 ↗ 128 ↓ 55 mm



8720169282742 – black
8720169282803 – white

Perifo T shape connector

↔ 110 ↗ 188 ↓ 55 mm



8719514450134 – black
8719514450196 – white

Perifo internal corner connector

↔ 96 ↗ 96 ↓ 22,6 mm
Only available in the Philips Hue shop



G 8719514407527

Philips Hue Perifo linear light bar B
↔ 950 ↗ 26,2 ↓ 64,5 mm
29 W, 2050 lm at 4000
Only available in the Philips Hue shop



G 8719514407541

Perifo linear light bar, white
↔ 950 ↗ 26,2 ↓ 64,5 mm
29 W, 2050 lm at 4000
Only available in the Philips Hue shop



G 8719514407565

Perifo gradient light tube compact, black
↔ 713,5 ↗ 26,2 ↓ 67,7 mm
12 W, 1060 lm at 4000
Only available in the Philips Hue shop



G 8719514407589

Perifo gradient light tube compact, white
↔ 713,5 ↗ 26,2 ↓ 67,7 mm
12 W, 1060 lm at 4000
Only available in the Philips Hue shop



G 8719514407602

Perifo gradient light tube large, black
↔ 1464 ↗ 26,2 ↓ 67,7 mm
29,5 W, 2600 lm at 4000
Only available in the Philips Hue shop



G 8719514407626

Perifo gradient light tube large, white
↔ 1464 ↗ 26,2 ↓ 67,7 mm
29,5 W, 2600 lm at 4000
Only available in the Philips Hue shop



Perifo



RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance


⊕ – IP20

Metal (sets, spotlights, lamps, rails),
Metal/Synthetic (linear strips, tubes),
Synthetic (USP, connectors)







Philips Hue Gradient Signe




8719514476196
Gradient Signe floor lamp white
 † 1458 ↔ 111 ↗ 111 mm
 29 W, 2550 lm at 4000 K




8718696176238
Gradient Signe table lamp white
 † 553 ↔ 111 ↗ 111 mm
 11.8 W, 1040 lm at 4000 K




8719514476219
Gradient Signe floor lamp black
 † 1458 ↔ 111 ↗ 111 mm
 29 W, 2550 lm at 4000 K



8718696176245
Gradient Signe table lamp black
 † 553 ↔ 111 ↗ 111 mm
 11.8 W, 1040 lm at 4000 K



8719514433526
Gradient Signe floor lamp oak
 † 1458 ↔ 111 ↗ 111 mm
 29 W, 2550 lm dla temp. 4000 K



8719514433465
Gradient Signe table lamp oak
 † 553 ↔ 111 ↗ 111 mm
 11.8 W, 1040 lm dla temp. 4000 K



Gradient Signe



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium





Philips Hue
Twilight

The perfect light for bedside...

Blue light suppresses the sleep hormone melatonin, so our Go to sleep automation purposefully excludes it. When activated — either automatically or with the push of a button — your bedroom lights transition to warm, red-toned hues and then dim until off.

Wake up to the colours of the morning sun

Gently brightening light can help you wake up feeling more refreshed — so our Wake up automation does just that. Customize your wake-up lighting to include the beautiful colors of the sunrise or warm golden light.

Innovative ColorCast Technology

The Twilight night lamp uses gradient ColorCast technology, which, through precisely distributed LEDs, emits light unlike any other gradient lamp.



8720169263055

**Philips Hue White and color ambiance
Hue Twilight, black**

Only available in the Philips Hue shop



8720169262997

**Philips Hue White and color ambiance Hue
Twilight, white**

Twilight

Hue Twilight ↔ 164 ↗ 159 ↓ 330,
220-240V/ 50-60 Hz, 27 W, 1830 lm at 4000 K

RGB 2000-6500 K

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Metal/Synthetic



Philips Hue Wall washer



8720169339712

Play Wall washer, black
↑ 141 ↔ 185 ↙ 145 mm



8720169385993

Play Wall washer, black, 2-pack
↑ 141 ↔ 185 ↙ 145 mm



8720169339651

Play Wall washer, white
↑ 141 ↔ 185 ↙ 145 mm



8720169385931

Play Wall washer, white, 2-pack
↑ 141 ↔ 185 ↙ 145 mm



Wall washer

220-240V/ 50-60 Hz, 27 W, 1035 lm at 4000 K

RGB 2000-6500 K

Lifetime: 25000 hours



Light source included

Hue White and Color Ambiance

ColorCast Technology

⊕ – IP20

Aluminium



Philips Hue
Sana/Liane



8719514343382

Sana wall lamp black

1 255 ↔ 255 ∠ 52 mm
20 W, 1500 lm at 4000 K



8719514343405

Sana wall lamp white

1 255 ↔ 255 ∠ 52 mm
20 W, 1500 lm at 4000 K



8719514343429

Liane wall lamp black

1 558 ↔ 31 ∠ 107 mm
20 W, 900 lm at 4000 K



8719514343443

Liane wall lamp white

1 558 ↔ 31 ∠ 107 mm
20 W, 900 lm at 4000 K



Sana/Liane



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

☉ – IP20

Aluminium





Philips Hue
Ensis/Flourish




G 8719514343368
Ensis pendant lamp black
 † 164–1664 ↔ 1298 ↗ 70 mm
 2 × 39 W, 5500 lm at 4000 K
 RGB 2000–6500 K



G 8719514343467
Ensis pendant lamp white
 † 164–1664 ↔ 1298 ↗ 70 mm
 2 × 39 W, 5500 lm at 4000 K
 RGB 2000–6500 K



F 8721103118813
Flourish table lamp white
 † 175 ↔ 261 ↗ 261 mm
 E27, 9,5 W, 800 lm at 4000 K
 RGB 1000 - 20000 K



G 8719514343528
Flourish pendant lamp white
 † 300–1800 ↔ 401 ↗ 401 mm
 31 W, 2750 lm at 4000 K
 RGB 2000–6500 K

Ensis/Flourish

16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium (Ensis), Glass (Flourish)



Philips Hue
Infuse/Surimu



8718696176498

Infuse M ceiling lamp white
1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000 K



8718696176504

Infuse M ceiling lamp black
1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000 K



8718696176511

Infuse L ceiling lamp white
1 84 ↔ 425 mm
52,5 W, 3700 lm at 4000 K



8718696176528

Infuse L ceiling lamp black
1 84 ↔ 425 mm
52,5 W, 3700 lm at 4000 K




8721103044556

Surimu panel rectangle
1 48 ↔ 1200 ↗ 300 mm
60 W, 4200 lm at 4000 K



8721103044532

Surimu panel square
1 48 ↔ 600 ↗ 600 mm
60 W, 4200 lm at 4000 K



8721103044570

Surimu panel square
1 46 ↔ 300 ↗ 300 mm
25 W, 1760 lm at 4000 K



8721103044594

Surimu panel round
1 47 ↔ 395 ↗ 395 mm
40 W, 2850 lm at 4000 K



Infuse/Surimu



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance


⊕ – IP20

Metal/Synthetic





Philips Hue Datura



8720169277557

Datura Hue slim ceiling RD XL


1 654 ↔ 105 ↗ 675 mm
67 W, 4 850 lm at 4000 K



8720169277618

Datura Hue slim ceiling RD S


1 445 ↔ 104 ↗ 480 mm
48 W, 3 300 lm at 4000 K



8720169277670

Datura Hue slim ceiling SQ XL

1 675 ↔ 115 ↗ 700 mm
67 W, 4 300 lm at 4000 K



8720169277731

Datura Hue slim ceiling REC

1 125 ↔ 408 ↗ 1320 mm
67 W, 4 250 lm at 4000 K



Datura



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Metal/Synthetic



Philips Hue Slim



8720169264090
Slim S recessed, white
‡ 32 ↔ 90 mm
8,3 W, 1000 lm at 4000 K



8720169264731
Slim S recessed, white, 3-pack
‡ 32 ↔ 90 mm
3 × 8,3 W, 1000 lm at 4000 K



8720169264151
Slim S recessed, black
‡ 32 ↔ 90 mm
8,3 W, 1000 lm at 4000 K



8720169264793
Slim S recessed, black, 3-pack
‡ 32 ↔ 90 mm
3 × 8,3 W, 1000 lm at 4000 K



8720169264212
Slim L recessed, white
‡ 30 ↔ 170 mm
12 W, 1500 lm at 4000 K



8720169264274
Slim L recessed, black
‡ 30 ↔ 170 mm
12 W, 1500 lm at 4000 K

Slim

2200–6500 K, 16 million colors
Lifetime: 25000 hours

Hue White Ambiance
220 V–240 V/50–60 Hz
⊕ – IP44
Metal/Synthetic



Philips Hue Devote



8721103104656
Devote Slim ceiling panel S
↔ 291 ↗ 291 mm
16 W



8721103104717
Devote Slim ceiling panel M
↔ 421 ↗ 421 mm
23 W



8721103105158
Devote Slim ceiling panel S, 2-pack
↔ 291 ↗ 291 mm
16 W

E Devote

2200–6500 K, 16 million colors
Lifetime: 25000 hours

Hue White Ambiance
220 V–240 V/50–60 Hz

⊕ – IP44

Metal/Synthetic



Philips Hue
Xamento



8718696176559

Xamento M ceiling lamp white

1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000K



8719514452251

Xamento M ceiling lamp black

1 84 ↔ 381 mm
33,5 W, 2350 lm at 4000K



8718696176566

Xamento L ceiling lamp white

1 84 ↔ 425 mm
52,5 W, 3700 lm at 4000K



8721103072900

Xamento recessed white 3-pack

1 90 ↔ 94 mm
3×4 W, 350 lm at 4000K



8721103072849

Xamento recessed white

1 90 ↔ 94 mm
4 W, 350 lm at 4000K



8720169321014

Xamento recessed chrome 3-pack

1 90 ↔ 94 mm
3×4,2 W, 3×350 lm at 4000K



8720169320956

Xamento recessed chrome

1 90 ↔ 94 mm
4,2 W, 350 lm at 4000K



8720169320895

Xamento recessed black 3-pack

1 90 ↔ 94 mm
3×4,2 W, 3×350 lm at 4000K



8720169320833

Xamento recessed black

1 90 ↔ 94 mm
4,2 W, 350 lm at 4000K



Xamento

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance


⊕ – IP44

Metal/Synthetic





Philips Hue Tinto



8720169350793 – black
8720169350731 – white

Tento S panel square
↔ 295 ↗ 295 ↓ 37 mm

8720169351035 – black
8720169350977 – white

Tento M panel square
↔ 395 ↗ 395 ↓ 37 mm



8720169330979 – black
8720169330917 – white

Tento S panel round
↔ 291 ↗ 291 mm

8720169331099 – black
8720169331037 – white

Tento M panel round
↔ 421 ↗ 421 mm



8720169331211 – black
8720169331150 – white

Tento XL panel round
↔ 542 ↗ 542 mm



Tento



RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color P Ambiance

⊕ – IP20

Plastic





Philips Hue Lightstrips



8720169326637
Solo lightstrip 3 m



8720169326699
Solo lightstrip 5 m



8720169326750
Solo lightstrip 10 m



8721103087812
Flux lightstrip 3 m



8721103087911
Flux lightstrip 4 m



8721103088017
Flux lightstrip 5 m



8721103088116
Flux lightstrip 6 m



8721103088215
Flux lightstrip 10 m



8721103110312
**Starter kit Flux lightstrip 3m
+ Hue Bridge Pro**



8721103103611
**Starter kit Flux lightstrip 6m
+ Hue Bridge Pro**



8721103088314
Flux Ultra-bright lightstrip 3 m



8721103088413
Flux Ultra-bright lightstrip 5 m



8721103103338
Flux lightstrip 2 m (extension)



8721103103437
Flux lightstrip 5 m (extension)



8721103103536
Flux lightstrip 10 m (extension)



8721103088512
Flux ultra-bright lightstrip 10m



8721103089335
OmniGlow lightstrip 3 m



8721103089434
OmniGlow lightstrip 5 m



8721103089533
OmniGlow lightstrip 10 m



8721103043856
**Hue Flux flex
connector 4-pack**



8721103043917
**Hue Flux
connector 4-pack**



8721103043979
**Hue Flux corner
connector 4-pack**



8721103044037
Hue Flux bracket



8721103043795
Hue Flux PSU extension cable 5m

Lightstrip

- Solo lightstrip 20 W**, 1700 lm at 4000K
- G Flux lightstrip 3 m 12 W**, 1200 lm at 4000K
- Flux lightstrip 4m 16W**, 1600 lm at 4000K
- Flux lightstrip 5m 20W**, 2000 lm at 4000K
- Flux lightstrip 6m, 10m 20W**, 2000 lm at 4000K
- Flux Ultra-bright lightstrip 3m 29W**, 2900 lm at 4000K
- Flux Ultra-bright lightstrip 5m 48W**, 4800 lm at 4000K
- Flux Ultra-bright lightstrip 10m 60W**, 5000 lm at 4000K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Lightsource included

Hue White and Color Ambiance

☹ – IP20

Synthetic



Philips Hue Moodlighting



8718699770983
Bloom white



8718699771126
Bloom black



8718696173992
Hue Go



8720169267992
Hue Go power adaptor
 replacement part
 220-240 V
 Only available in the Philips Hue shop



Moodlighting

- G Hue Go** ↔ 120 ↗ 120 ↓ 70, 6 W, 530 lm at 4000 K
- Bloom** ↔ 130 ↗ 126 ↓ 101, 7,1 W, 500 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

☉ – IP20

Synthetic



Philips Hue Iris

The exclusive, extraordinary,
and surprisingly smart lamp.



8719514264465
Iris white



8719514264489
Iris black



8719514410732
Iris gold



8719514411524
Iris silver



8719514411586
Iris copper



Iris



Iris → 222 ↗ 165 ↓ 150, 8,1 W, 570 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Synthetic/Metal



Easy to install and extend

The products are based on low voltage, safe to use and easy to install. No more complexity to get lighting outdoors: go create and extend as you like. Look for Low volt icon next to products.

Transform your outdoor space with light

Philips Hue smart lighting is for your entire home — inside and out. We have two types of outdoor lights: standard line-voltage (wired into your home's electricity) and low-voltage, which simply plug into any outdoor outlet. Called Low volt, this collection of lights allows more flexibility in designing your outdoor lighting. Whatever you choose, Philips Hue lets you transform your outdoors with smart light.

Which option is best for you?

Low volt

24 V



Voltage

Safe extra low voltage (SELV)



Bridge required

Can be placed anywhere



Direct line-voltage connection



Separate power supply unit required

Line voltage

220 V





Philips Hue Low volt accesories



8719514414150

Power Supply 24 V, 100 W

↑ 45 ↔ 200 + cable 1500/600 ↗ 70 mm, IP67




8719514413979

Power Supply 24 V, 40 W


↑ 41 ↔ 132 + cable 1500/600 ↗ 65 mm, IP67

Examples of possible Low volt setups

40 W



100 W




8718696168721
Cable extension 5 m
1 7,3 → 7,3 ↗ 5000 mm, IP67



8718696176641
Cable extension 2.5 m
1 7,3 → 7,3 ↗ 2500 mm, IP67



8718696176658
Low volt T-connector
1 80 → 48 ↗ 20 mm, IP67



8718696174425
Amarant black
 1 795 → 50 ↗ 68 mm
 20,5 W, 1420 lm at 4000 K,
 PSU needed (p. 66)



8718699709839
Outdoor lightstrip 2 m
 1 20 → 2000 ↗ 11 mm
 19,5 W, 765 lm at 4000 K



8718699709853
Outdoor lightstrip 5 m
 20 → 4908 ↗ 11 mm
 37,5 W, 1490 lm at 4000 K

Outdoor lightstrips are not extendable, nor cuttable!



8721103088611
Neon outdoor lightstrip 3m



8721103088734
Neon outdoor lightstrip 5m



8721103088857
Neon outdoor lightstrip 10m



8721103088970
Flux outdoor lightstrip 5m



8721103089090
Flux outdoor lightstrip 6m



8721103089212
Flux outdoor lightstrip 10m



8718696170557

**Calla large extension
pedestal black**

1 400 ↔ 104 ↗ 104 mm
8 W, 590 lm at 4000 K,
PSU needed (str. 68)



8718696167991

**Calla extension
pedestal black**

1 255 ↔ 104 ↗ 104 mm
8 W, 590 lm at 4000 K,
PSU needed (str. 68)



8719514388499

Calla extension pedestal silver

1 255 ↔ 104 ↗ 104 mm
8 W, 590 lm at 4000 K, potrzebny
PSU needed (str. 68)



8718696167960
Lily spike black 3-pack
 † 192 ↔ 84 ↗ 70 mm
 3 × 8 W, 3 × 640 lm
 at 4000 K



8718696169087
Lily spike black
 † 192 ↔ 84 ↗ 70 mm
 8 W, 640 lm at 4000 K



8718696167977
Lily spike black extension
 † 192 ↔ 84 ↗ 70 mm
 8 W, 640 lm at 4000 K,
 PSU needed (str. 68)

G Amarant/Calla/Lily/Outdoor lightstrip



RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz

⊕ – IP44 (Calla), IP65 (Lily, Lightstrip, Amaran)

Aluminium (Calla, Lily), Synthetic/Silikon (Lightstrip), Synthetic/Metal (Amarant)



Philips Hue
Go portable lamp



8719514404571

Go portable table lamp white
 † 350 ↔ 142



8719514448216

Go portable table lamp white
 † 350 ↔ 142
 Only available in the Philips Hue shop



8719514404595

Go portable table lamp black
 † 350 ↔ 142



8719514448278

Go portable table lamp black
 † 350 ↔ 142
 Only available in the Philips Hue shop



Go portable lamp



RGB 2000–6500 K, 16 million colors
 Lifetime: 20000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz
 6,2 W, 530 lm at 4000 K
 ☉ – IP54 (lamp)
 ☉ – IP20 (charging base)
 Synthetic/Aluminium



8720169268012

Go portable table lamp charging base
 replacement part
 220–240 V
 Only available in the Philips Hue shop



Philips Hue Festavia string light



8720169246744

Festavia string lights 100 mini LEDs

6 W, 8 m + kabel 2×2,4 m

Only available in the Philips Hue shop



8720169246621

Festavia string lights 250 mini LEDs

14 W, 20 m + cable 2×2,4 m



8720169246867

Festavia string lights 500 mini LEDs

28 W, 2×20 m + cable 2×2,4 m



Festavia string lights



RGB 2000–6500 K, 16 million colors

Lifetime: 15000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

☉ – IP54

Synthetic



Philips Hue
Festavia globe string



8720169371477

Festavia globe string

7 W, 7 m, 10 Lightguide bulbs



8720169371538

Festavia globe string

13 W, 14 m, 20 Lightguide bulbs



8720169371590

Festavia globe string

19 W, 21 m, 30 Lightguide bulbs



8721103063717

Festavia globe string, extension

7 W, 7 m, 10 Lightguide bulbs



8721103062857

Festavia globe string, extension

13 W, 14 m, 20 Lightguide bulbs



8721103063731

Festavia globe string, extension

19 W, 21 m, 30 Lightguide bulbs



Girlanda ogrodowa Festavia



RGB 1000–20000 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

⊖ – IP65

Synthetic



Philips Hue
Festavia permanent



8721103078506

Festavia permanent

24,2 W, 18 m, 32 mini LEDs



8721103078544

Festavia permanent

12,1 W, 9 m, 16 mini LEDs



Girlanda zewnętrzna Festavia



RGB 1000–2000 K, 16 million colors

Lifetime: 50000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

☼ – IP65

Synthetic



Philips Hue
Impress



8718696170489
Impress
wall lantern black
↑ 240 ↔ 120 ↗ 141 mm



 8718696174333
Impress
wall lantern black
↑ 240 ↔ 120 ↗ 140 mm
PSU needed (p. 66)



8718696170496
Impress
large wall lantern black
↑ 240 ↔ 190 ↗ 117 mm



8718696170502
Impress
pedestal black
↑ 400 ↔ 100 ↗ 100 mm



 8718696170526
Impress
pedestal black
↑ 400 ↔ 100 ↗ 100 mm
PSU needed (p. 66)



8718696170519
Impress post black
↑ 770 ↔ 100 ↗ 100 mm, 24 V

Impress

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz
8 W or 2 × 8 W, 1180 lm at 4000 K
⊕ – IP44
Aluminium die-cast



Philips Hue
Nyro/Resonate/Daylo/Dymera



8718696174296
Nyro pedestal black
 † 400 ↔ 250 ↗ 100 mm



8718696174302
Nyro wall lantern black
 † 100 ↔ 250 ↗ 85 mm, 1000 lm



8718696174388
Resonate wall lantern black
 † 180 ↔ 120 ↗ 100 mm



8719514466777
Resonate downward wall lantern black
 † 168 ↔ 157 ↗ 125 mm



8718696174395
Resonate wall lantern inox
 † 180 ↔ 120 ↗ 100 mm



8718696174401
Daylo wall lantern black
 † 220 ↔ 220 ↗ 75 mm



8718696174418
Daylo wall lantern inox
 † 220 ↔ 220 ↗ 75 mm



8720169234505
Dymera wall light
 † 160 ↔ 230 ↗ 94 mm
 for indoor and outdoor use

G Nyro/Resonate/Daylo/Dymera

RGB 2200–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

13,5 W, 1020 lm (Nyro), 2 × 8 W, 1180 lm (Resonate), 10,2 W, 1020 lm (Dymera)

8 W, 590 lm (Resonate downward), 15 W, 1060 lm (Daylo) at 4000 K

⊕ – IP44

Aluminium die-cast



Philips Hue
Appear/Attract/Discover/Econic



8718696174371
Appear wall lantern black
 † 85 ↔ 120 ↗ 240 mm



8718696176207
Appear wall lantern inox
 † 85 ↔ 120 ↗ 240 mm



8718696170571
Econic up wall lantern black
 † 244 ↔ 194 ↗ 301 mm



8718696170588
Econic down wall lantern black
 † 244 ↔ 194 ↗ 312 mm



8718696170595
Econic pedestal black
 † 163 ↔ 163 ↗ 322 mm



8718696170564
Econic wall lantern square black
 † 260 ↔ 260 ↗ 115 mm



8718696170601
Econic post black
 † 163 ↔ 163 ↗ 1000 mm



8718696170533
Discover wall lantern
 † 160 ↔ 220 ↗ 153 mm

G Appear/Attract/Discover/Econic

RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz

79 W, 2250 lm (Discover), 15 W, 1140 lm (Econic), 8 W, 590 lm (Attract),
 2 × 8 W, 1180 lm (Appear) at 4000 K

⊕ – IP44

Aluminium die-cast

Philips Hue White Ambiance

Set up your lights to work with your lifestyle

Wake up and go to sleep naturally

Philips Hue will help get you out of bed the way you like it, helping you start your day feeling refreshed. The light brightness increases gradually mimicking the effect of sunrise and helps you wake up naturally, instead of being woken up by the loud sound of an alarm clock. Start your day, the right way. In the evening, the relaxing warm white light helps you to unwind, relax and prepare your body for a good night's sleep.

Relax, read, concentrate and energize with light recipes

Light influences our mood and behavior. Philips Hue can help you to customize your daily routines into moments you can enjoy. Skip your morning coffee and get ready for the day with cool, bright white daylight that helps to energize your body and mind. Stay focussed with finely tuned bright white light. Or put your feet up and relax with a soft glow of white light for the perfect end of the day.

Improve the functionality by adding a Hue Bridge
Expand your range of control. Add more lights to even the furthest corners of your home.



Boost your energy

Use light to amp up the energy in your home. With its cool white light, the Energize light scene helps you add a little pep to your morning or an extra punch to your workout.



Sharpen your focus

When you need to get things done, Philips Hue can help you direct your full attention to the task at hand. Set the Concentrate light scene to stay focused and keep your head in the game.




Read with ease

Curl up with a good book under the right light. With the Read light scene, Philips Hue adjusts the light from cool to warm for the perfect shade of white, allowing you to comfortably flip through the pages.



Relax your mind

Finding the time to unwind can prove difficult. When you finally do get a moment to yourself, set Philips Hue to the subtle, soft light of the Relax scene and take your tranquility to the next level.



810 lm



8720169363946
Philips Hue White Ambiance
6 W E27 A60 1000-20000 K
Only available in the Philips
Hue shop



8720169364004
Philips Hue White Ambiance
6 W E27 A60 1000-20000 K
2-pack



8720169364721
Philips Hue White Ambiance
6 W E27 A60 1000-20000 K
3-pack



8720169364745
Philips Hue White Ambiance
6 W E27 A60 1000-20000 K
4-pack

1100 lm



8720169364806
Philips Hue White Ambiance
8 W A60 E27 1000-20000 K



8720169364868
Philips Hue White Ambiance
8 W A60 E27 1000-20000 K
2 szt.

1600 lm



8720169364288
Philips Hue White Ambiance
12 W A60 E27 1000-20000 K



8720169230095
Philips Hue White Ambiance
4.2 W GU10 3-pack



8720169230033
Philips Hue White Ambiance
4.2 W GU10 2-pack



8720169229976
Philips Hue White Ambiance
4.2 W GU10



8719514491588
Philips Hue White
and Color Ambiance
6,3 W GU5.3 MR16 2-pack



8719514491342
Philips Hue White
and Color Ambiance
6,3 W GU5.3 MR16



8719514356733
Philips Hue White Ambiance
4 W E14 B39 2-pack



8719514356658
Philips Hue White Ambiance
4 W E14 B39



8719514491168
Philips Hue White Ambiance
5,1 W E14 luster 2-pack



8719514491106
Philips Hue White Ambiance
5,1 W E14 luster

Philips Hue White Ambiance bulbs

1521 lm (E27 13 W), 1100 lm (E27 8 W), 800 lm (E27 6 W) at 4000 K
 470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
 White Ambiance 2200–6500 K
 Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V–240 V/50–60 Hz

⊕ – IP20


↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3)

↑ 110 ↔ 60 mm (E27 6 W, 8 W)

↑ 131 ↔ 67 mm (E27 13 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)

All Philips Hue White Ambiance bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Filament



8719514301429

**Philips Hue White Ambiance
Filament 7 W A60 E27**



8719514301504

**Philips Hue White Ambiance
Filament 7 W ST72 E27**



8719514301542

**Philips Hue White Ambiance
Filament 7 W G125 E27**



8719514411869

**Philips Hue White Ambiance
Filament 4.6 W Candle E14
2-pack**



8719514411807

**Philips Hue White Ambiance
Filament 4.6 W Candle E14**



Philips Hue White Ambiance Filament



550 lm at 2700 K

White Ambiance 2200–4500 K

Lifetime: 15000 hours

220 V–240 V/50–60 Hz

☉ – IP20

↑ 115 ↔ 60 mm (A60), ↑ 133 ↔ 60 mm (ST64),

↑ 150 ↔ 95 mm (G93), ↑ 164 ↔ 72 mm (ST72)


↑ 192 ↔ 125 mm (G125)

Glass


All Philips Hue White Ambiance filament bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue
Amaze



8719514341098
Amaze pendant white



8719514341074
Amaze pendant black



Amaze




2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
25 W, 2900 lm at 4000 K
⊖ – IP20
↑ 1500 ↔ 434 ↗ 434 mm
Aluminium/Synthetic



Dimmer switch remote control included





Philips Hue
Enrave



8718696176412
Enrave S white (Ø 261 mm)

8718696176436
Enrave M white (Ø 381 mm)

8718696176450
Enrave L white (Ø 425 mm)

8718696176474
Enrave XL white (Ø 551 mm)



8718696176429
Enrave S black (Ø 261 mm)

8718696176443
Enrave M black (Ø 381 mm)

8718696176467
Enrave L black (Ø 425 mm)

8718696176481
Enrave XL black (Ø 551 mm)



8718696176573
Enrave pendant white (Ø 425 mm)



8718696176580
Enrave pendant black (Ø 425 mm)



Enrave

2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
9,6 W, 1220 lm (S), 19,2 W, 2450 lm (M),
33,5 W, 4300 lm (L, pendant),
48 W, 6100 lm (XL) at 4000 K

⊕ – IP20

Metal/Synthetic



Dimmer switch remote control included





Philips Hue Tento



8720169350670 – black
8720169350618 – white
Tento S panel square
→ 295 ↗ 295 ↓ 37 mm



8720169350915 – black
8720169350854 – white
Tento M panel square
→ 395 ↗ 395 ↓ 37 mm



8720169330610 – black
8720169330559 – white
Tento S panel round
→ 291 ↗ 291 mm



8720169330733 – black
8720169330672 – white
Tento M panel round
→ 421 ↗ 421 mm



8720169330856 – black
8720169330795 – white
Tento XL panel round
→ 542 ↗ 542 mm



Tento



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V

⊕ – IP20

Plastic





Philips Hue
Being



8719514341111
Being ceiling lamp aluminium



8719514341159
Being ceiling lamp white



8719514341135
Being ceiling lamp black

 **Being**


2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
22,5 W (ceiling lamp),
2400 lm at 4000 K
⊕ – IP20
↑ 71 ↔ 391 ↗ 391 mm
Metal/Synthetic



Dimmer switch remote control included





Philips Hue
Pillar



8720169320239
Pillar single spot black



8720169319998
Pillar single spot extension black
Dimmer switch not included



8720169320116
Pillar double spot black



8720169320291
Pillar single spot white



8720169320055
Pillar single spot extension white
Dimmer switch not included



8720169320178
Pillar double spot white

Dimmer switch remote control included



Pillar

2200 – 6500 K
Lifetime: 15000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 × 5 W, 2 × 350 lm at 4000 K (double)
⊖ – IP20

↑ 120 → 103 ↘ 103 mm (single)
↑ 120 → 193 ↘ 103 mm (double)
Aluminium





Philips Hue Runner



8720169320772
Runner single spot white



8720169320710
Runner single spot black



8720169320659
Runner single spot extension white
 Dimmer switch not included



8720169320598
Runner single spot extension black
 Dimmer switch not included



8720169320352
Runner double spot black



8720169320413
Runner triple spot black



8720169320475
Runner double spot white



8720169320536
Runner triple spot white

Runner

2200–6500 K
 Lifetime: 15000 hours
 Light source included

Hue White Ambiance
 220 V–240 V/50–60 Hz
 4,2 W, 350 lm (single),
 2 × 4,2 W, 2 × 350 lm (double),
 3 × 4,2 W, 3 × 350 lm (triple)
 at 4000 K

⊖ – IP20

1 90 ↔ 110 ↗ 107 mm (single)
 1 89 ↔ 305 ↗ 109 mm (double)
 1 89 ↔ 480 ↗ 109 mm (triple)

Aluminium



Dimmer switch remote control included





Philips Hue
Aurelle



8720169329058

Aurelle ceiling lamp black
↑ 46 ↔ 300 ↗ 300 mm
19 W, 230 V, 1940 lm at 4000 K



8720169329010

Aurelle ceiling lamp black
↑ 46 ↔ 600 ↗ 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169329034

Aurelle ceiling lamp black
↑ 46 ↔ 1200 ↗ 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169329072

Aurelle ceiling lamp black
↑ 47 ↔ 395 ↗ 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



8720169328976

Aurelle ceiling lamp white
↑ 46 ↔ 300 ↗ 300 mm
19 W, 230 V, 1940 lm at 4000 K



8720169328990

Aurelle ceiling lamp white
↑ 46 ↔ 600 ↗ 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169328952

Aurelle ceiling lamp white
↑ 46 ↔ 1200 ↗ 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169328938

Aurelle ceiling lamp white
↑ 47 ↔ 395 ↗ 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



Aurelle



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance

⊖ – IP20

Aluminium



Dimmer switch remote control included





Philips Hue
Milliskin



8720169319752

Milliskin recessed extension aluminium



8720169319875

Milliskin recessed extension white



8720169319813

Milliskin recessed aluminium 3-pack



8720169319936

Milliskin recessed white 3-pack



Milliskin

2200–6500 K

Lifetime: 15000 hours

Light source included: GU10

Hue White Ambiance

220 V–240 V/50–60 Hz, GU10

4,2 W, 250 lm,

4,2 × 5 W, 3 × 250 lm (3-pack)

at 4000 K

⊕ – IP20

↔ 90 ↗ 90 mm

cut-out: 70 mm,

recessed: 100 mm

Synthetic



Dimmer switch
not included





Philips Hue
Devere/Adore



8718696176535

Devere M ceiling lamp white
↑ 84 ↔ 381 ↗ 381 mm

8718696176542

Devere L ceiling lamp white
↑ 84 ↔ 425 ↗ 425 mm



8720169317956

Adore recessed chrome
↑ 70-75 ↔ 94 ↗ 94 mm
4,2 W, 350 lm at 4000 K
Dimmer switch not included



8720169318014

Adore recessed chrome 3-pack
↑ 70-75 ↔ 94 ↗ 94 mm
3×4,2 W, 3×350 lm at 4000 K



8721103072962

Wbudowane oświetlenie punktowe Adore, białe
↑ 70-75 ↔ 94 ↗ 94 mm
4,2 W, 350 lm dla temp. 4000 K
(zestaw nie zawiera regulatora przyciemniania)



8721103073020

Wbudowane oświetlenie punktowe Adore, białe, 3 szt.
↑ 70-75 ↔ 94 ↗ 94 mm
3×4,2 W, 3×350 lm dla temp. 4000 K



Dimmer switch remote control included



Devere

2200-6500 K



Lifetime: 25000 hours

Light source included

Hue White Ambiance

220 V-240 V/50-60 Hz

19,2 W, 2450 lm (Devere M), 4300 lm,

33,5 W (Devere L) at 4000 K

⊕ – IP44

Metal/Synthetic



Adore

2200-6500 K



Lifetime: 30000 hours, 15000 hours
(for GU models)

Light source included: GU10

Hue White Ambiance

⊕ – IP44

Metal/Aluminium/Glass/Synthetic

Philips Hue White

Adjust your lights easy and comfortably





Smart control, home and away

With the Philips Hue iOS and Android apps you can control your lights remotely wherever you are. Check if you have forgotten to switch your lights off before you left your home, and switch them on if you are working late.



Set timers for your convenience

Philips Hue can make it seem like you're home when you're not, using the schedule function in the Philips Hue app. Set the lights to come on at a pre-set time, so the lights are on when you arrive home. You can even set rooms to light up at different times. And of course, you can let the lights turn off gradually in the night, so you never have to worry whether you've left any lights on.

Installation free dimming

Experience guaranteed smooth dimming with Philips Hue. No need for wires, an electrician or installation.



Control with your voice

Philips Hue works with Amazon Alexa, Apple HomeKit* and Google Home, powered by the Google Assistant, to allow you to control your lights with your voice. Turn your lights on and off. Dim to the desired brightness for a perfect ambiance.



*Philips Hue Bridge required



810 lm



8720169363649
Philips Hue White
7 W A60 E27
Only available
in the Philips Hue shop



8721103072566
Philips Hue White
7 W A60 E27 2-pack
Only available
in the Philips Hue shop



8720169363700
Philips Hue White
7 W A60 E27 3-pack



8721103095725
Philips Hue White
7 W A60 E27 4-pack

1100 lm



8720169364707
Philips Hue White
10 W A60 E27



8720169365797
Philips Hue White
10 W A60 E27 2 szt.

1600 lm



8720169363885
Philips Hue White
14 W A60 E27



8719514320666
Philips Hue White
5,5 W E14 B39



8719514320628
Philips Hue White 5,5 W
E14 B39 2 szt.



8719514356696
Philips Hue White 5,7 W
E14 luster



8719514356771
Philips Hue White 5,7 W
E14 luster 2-Pack



8720169230170
Philips Hue White 4,2 W
GU10



8720169230231
Philips Hue White 4,2 W
GU10 2-pack

Żarówki Philips Hue White

1600 lm (E27 15,5 W), 1055 lm (E27 9,5 W), 800 lm (E27 9 W) at 2700 K
470 lm (E14), 400 lm (GU10) at 2700 K
White 2700 K
Lifetime: 25000 hours (E14, E27), 15000 hours (GU10)

220 V – 240 V/50 – 60 Hz

⊕ – IP20

↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10)

↑ 110 ↔ 60 mm (E27 9 W, 9,5 W)

↑ 131 ↔ 67 mm (E27 15,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10)

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue
Filament



8719514342941
Philips Hue White Filament
7 W E27 A60



8719514343009
Philips Hue White Filament
7 W E27 G93



8719514343023
Philips Hue White Filament
7 W E27 G125




8719514342989
Philips Hue White Filament
7 W E27 ST64



8719514343061
Philips Hue White Filament
7 W E27 ST72

Philips Hue White Filament

 550 lm (E27), 300 lm (E14)
White 2100 K
Lifetime: 15000 hours

220 V – 240 V/50 – 60 Hz

⊕ – IP20

↑ 115 ↔ 60 mm (A60), ↑ 150 ↔ 95 mm (G93),
↑ 135 ↔ 60 mm (ST64), ↑ 170 ↔ 72 mm (ST72),
↑ 180 ↔ 125 mm (G125), ↑ 117 ↔ 39 mm (E14)

Aluminium/Glass

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Tento



8720169350557 – black
8720169350496 – white

Tento S panel square
↔ 295 ↗ 295 ↓ 37 mm



8720169330498 – black
8720169330436 – white

Tento S panel square
↔ 291 ↗ 291 mm



Tento

2700 K



Lifetime: 25000 hours

Light source included

Hue White

220 V–240 V

⊕ – IP20

Plastic



All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue
Inara/Welcome



8719514382763
Welcome floodlight
 1 153 ↔ 220 ↗ 160 mm
 28 W, 2300 lm



8719514388512
Inara wall lantern black
 1 277 ↔ 256 ↗ 219 mm
 9.5 W, 806 lm

E Welcome

2700 K
 Lifetime: 25000 hours
 Light source included

 Hue White
 220 V–240 V/50–60 Hz
 ⊕ – IP44
 Aluminium die-cast

G Inara

2700 K
 Lifetime: 25000 hours
 Light source included

 Hue White
 220 V–240 V/50–60 Hz
 ⊕ – IP44
 Aluminium



Philips Hue
Lucca



8718696166048

Lucca wall lantern anthracite

1 115 ↔ 215 ↗ 170 mm
9,5 W, 806 lm



8718696166055

Lucca pedestal anthracite

1 400 ↔ 142 ↗ 142 mm
9,5 W, 806 lm



8718696166062

Lucca post anthracite

1 770 ↔ 142 ↗ 140 mm
9,5 W, 806 lm

F Lucca

2700 K

Lifetime: 25000 hours

Light source included

Hue White

220 V – 240 V/50 – 60 Hz

⊕ – IP44

Aluminium

Smart accessories

The smartest way to control your lights.

Make your lighting smarter and create breathtaking scenes at home with the right Philips Hue accessories. Remote controls work anywhere. Customize to fit your needs. No wires, no electrician, no install.



8719514342620
Hue Bridge



8720169155114
Hue Bridge Pro



8719514274617
Dimmer Switch



8719514342125
Motion Sensor



8719514342262
Outdoor Sensor



8719514342309
Smart Plug EU



8719514342347
Smart Plug BE/FR



8720169258341
Wtyczka smart EU 3-pack



8719514318045
Wall switch



8719514318021
Wall switch 2-pack



8721103038616
Smart button



8719514440999
Tap dial switch white



8719514440937
Tap dial switch black



8719514498556
Tap dial switch mini, white, Only available in the Philips Hue shop



8719514498495
Tap dial switch mini, black, Only available in the Philips Hue shop



8720169268036
Power adaptor white
replacement part
20 W, 220-240 V



8720169268050
Power adaptor black
replacement part
20 W, 220-240 V



8720169268074
Play lightstrip cable extension 2,5 m
replacement part
Only available in the Philips Hue shop

Smart accessories

Hue Bridge † 88 ↔ 88 ↗ 26 mm, ☹ – IP20, Synthetic

Hue Bridge Pro † 146 ↔ 140 ↗ 72, ☹ – IP20, Synthetic

Dimmer Switch † 92 ↔ 35 ↗ 11 mm, ☹ – IP20, Synthetic, battery powered, Bluetooth

Motion Sensor range: 5 m, angle: 100°, † 20 ↔ 55 mm, ☹ – IP42, Synthetic, battery powered, requires Bridge

Outdoor Sensor range: 12 m, angle: 160°, † 76 ↔ 76 ↗ 56 mm, ☹ – IP54, Synthetic, battery powered, requires Bridge

Smart Plug EU turn on/off feature, † 50 ↔ 50 ↗ 85 mm, ☹ – IP20, Bluetooth

Smart Plug BE/FR † 43 ↔ 38 ↗ 10 mm, ☹ – IP20, Synthetic, battery powered, requires Bridge

Smart button † 14 Ø 74 mm, ☹ – IP20, Synthetic, battery powered, requires Bridge

Tap dial switch † 80 ↔ 80 mm (base), Ø 60 mm (switch), ☹ – IP20, Synthetic, battery powered, requires Bridge

Tap dial switch mini † 20 Ø 60 mm, ☹ – IP20, Synthetic, battery powered, requires Bridge

Compare the features

	White and Color Ambiance	White Ambiance	White
Smart control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Control your lights from anywhere	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic light control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Easy dimming	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Setting the mood	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Natural wake-up	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Light supporting wellbeing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Colorful smart light	<input checked="" type="checkbox"/>		
Sync with music	<input checked="" type="checkbox"/>		
Sync with movies and games	<input checked="" type="checkbox"/>		

COLOR TEMPERATURE



Philips Hue works with many other smart home devices, platforms, and assistants to help make your life more convenient. You can connect your Philips Hue system with Amazon Echo, Apple HomeKit, Google Home and many others. Bring your smart home to life with the most connected light in the world.





© 2025 Signify Holding. All rights reserved.

The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

www.philips-hue.com