

SERIOUSLY SMART. SURPRISINGLY SIMPLE.

Catalogue 2025



wizconnected.com

WIZ

TABLE OF CONTENTS



INTRODUCTION	S.4
SPACESENSE™	S.6
HOME MONITORING	S.8
.....	
WiZ BULBS	S.10
PHILIPS SMART LED BULBS	S.24
WiZ PORTABLE LAMPS	S.38
WiZ LUMINAIRES AND LIGHTSTRIPS	S.40
WiZ SPOTLIGHTS	S.42
WiZ CEILING LIGHTS	S.46
WiZ OUTDOOR LIGHTS	S.52
WiZ ACCESSORIES	S.54
WiZ HOME MONITORING	S.56
WiZ PARTNERS	S.58
.....	
INDEX	S.60

Wiz CONNECTED

Wiz Connected is an easy-to-use, Wi-Fi-based smart lighting system. It allows you to personalize your home lighting in a few easy steps.



EASY PLUG & PLAY



**1. INSTALL YOUR
SMART LED LIGHT**



**2. DOWNLOAD
THE WIZ APP,
LIGHTS WORK WITH
YOUR EXISTING WI-FI**



**3. CONTROL
AS YOU LIKE**

THREE LIGHT COLOR CATEGORIES

DIMMABLE WHITE



Enjoy dimmable, white light in any room of your home. Perfect for the living room or bedroom, these lights will help create a relaxing atmosphere in any space.

TUNABLE WHITE



Get any shade of dimmable, warm-to-cool white light with tunable bulbs. Use bright, blue-toned daylight in the morning to feel energised, or wind down after a long day with golden yellow tones.

FULL COLOUR



Light your home in millions of colors or shades of tunable white to transform your rooms for every occasion. Set the mood for a dinner party with bright colors, and then dim down to a cozy glow when it's time for guests to head home.

WiZ ECOSYSTEM

WiZ is a connected lighting system and all WiZ Connected products are compatible. That's why WiZ products work with Philips Smart LED bulbs.

Control all of your WiZ lights from a single smart app. Easily set the mood and lighting schedules for your entire household, set schedules, and more!



SPACESENSE™

Lights that detect motion and turn on automatically – That's SpaceSense™! This exclusive technology senses your every move, so that your lights know exactly when you need them!

No matter if you enter from the right or left side of the room, our SpaceSense™ technology will turn on the lights so that no household object gets in your way. This way, you can move around your home without worrying about darkness or obstacles.

WiZ Lights, Wi-Fi, and our App are all you need to enjoy SpaceSense™ at home. Experience hassle-free installation with our non-intrusive setup, while the motion detection works automatically, turning lights on and off as you move. No need for charging or using additional devices!

To get SpaceSense™ in your home, you'll need to install two WiZ lights in the same room, with at least 2m separating them.

IT'S SIMPLE.
IT'S SPACESENSE™.
IT'S WiZ.



LIGHTS THAT WORK THE WAY YOU DO



Control anywhere



Use preset light modes or create your own



Schedule and automate



Use rhythms replicating the natural changes of the sunlight




Give new users access without disturbing any of your presets



Mimic your presence at home while you're away



Control by voice, switches and sensors



Monitor and optimize energy usage



WiZ RESPECTS YOUR PRIVACY

Your privacy and the security of your data is as important to us as it is to you. With the WiZ app, you sign in anonymously and because you never need to share your email address, phone number or other personal data, all of your information remains private. 100% delightful, 100% worry-free.



IMMERSED IN LIGHT

Connect your lights to your TV and let the on-screen colors spill into your room. Whether you're watching a movie, gaming, or listening to music, your lights respond instantly—turning every moment into a fully immersive experience. Get ready for entertainment that completely surrounds you.



CONNECT YOUR LIGHT TO YOUR TV


WORKS WITH ANY HDMI 2.0 DEVICE

Simply connect the Sync Box to a HDMI media device such as streaming stick, set-top box, and gaming console. Supports 4K at 60Hz, HDR10+, Dolby Vision.



REAL-TIME COLOR SYNCING

The Sync Box reads the video signal directly from the HDMI input, instantly analyzes the entire TV screen, and generate ultra-accurate matching colors.





CUSTOMIZABLE SYNC MODES

Easily adjust sync effects with the WiZ app. Choose from pre-set modes like Cinematic or Relaxation, or customize brightness and color to suit your mood, whether you're having an exciting movie night or enjoying a relaxing time watching your favorite series.

EXTEND YOUR SCREEN

Link your Sync box to any color-capable, Wi-Fi + Bluetooth WiZ lights. Create a full lighting setup that matches your TV for a room-wide lighting experience, whether you're using bulbs, light strips, or lamps.



HOME MONITORING

With lights that mimic presence and trigger light alarms, a camera with night vision, and SpaceSense™ motion detection, WiZ keeps an eye on your entire home.

Control both security and lighting from a single app.



ALWAYS KNOW WHAT'S GOING ON

Activate WiZ monitoring for your entire home or only in certain areas. Disarm monitoring when home life is in full swing — we wouldn't dream of interfering. Open the WiZ app and view the camera to get a live view of what's going on, even when you're away.

ALWAYS FEEL SAFE

Get notified via the WiZ app whenever suspicious activity or security threats are detected. Take immediate action - turn on the lights, trigger a light alarm, turn on two-way audio or activate the WiZ camera.



MOTION DETECTED



DISCOURAGE TRESPASSERS

Are you home or away? With presence simulation, trespassers will never know. Set lights to turn on and off automatically, making it look like you never left home. All done with WiZ devices and app — no extra stuff required.

TWO-WAY AUDIO

Activate two-way audio talking to deter or help. The built-in speaker and microphone allow easy, remote conversations. You can also use this feature to warn off intruders.



CLEAR IMAGE, DAY AND NIGHT

Most systems have blind spots. The WiZ smart ecosystem does not. With SpaceSense™, every WiZ light is a motion sensor that detects every movement in the coverage area. Turn on night vision to see in the dark. Subscribe to get more. WiZ security subscription service unlocks additional camera features.



WiZ BULBS







Dimmable warm white



CANDLE E14 C37

8718699786212
4,9 W eq. 40 W
470 lm / 2700 K
116 ↔ 39 mm
15 000 h / IP20 / plastic



SPOT GU10

8718699786250
4,7 W eq. 50 W
345 lm / 2700 K
58 ↔ 50 mm
15 000 h / IP20 / plastic



BULB E27 A60

8718699786038
8 W eq. 60 W
806 lm / 2700 K
122 ↔ 60 mm
25 000 h / IP20 / plastic



BULB E27 A60 X2

8719514550070
8 W eq. 60 W
806 lm / 2700 K
122 ↔ 60 mm
25 000 h / IP20 / plastic





Tunable warm to cool white light



CANDLE E14 C37

8718699787073
4,9 W eq. 40 W
470 lm / 2700-6500 K
I 116 → 39 mm
15 000 h / IP20 / plastic



CANDLE SPACESENSE™ E14 C37 X3

8720169075696
4,9 W eq. 40 W
470 lm / 2700-6500 K
I 116 → 39 mm
15 000 h / IP20 / plastic



SPOT GU10

8720169076747
4,7 W eq. 50 W
400 lm / 2700-6500 K
I 58 → 50 mm
15 000 h / IP20 / plastic, glass



BULB E27 A60

8720169076945
8 W eq. 60 W
806 lm / 2700-6500 K
I 122 → 60 mm
25 000 h / IP20 / plastic



BULB E27 A60 X2

8720169076921
8 W eq. 60 W
806 lm / 2700-6500 K
I 122 → 60 mm
25 000 h / IP20 / plastic



FROSTED GLASS BULB E27 A60

8719514552081
7 W eq. 60 W
806 lm / 2700-6500 K
I 106 → 60 mm
15 000 h / IP20 / glass



BULB E27 A67

8718699786175
13 W eq. 100 W
1521 lm / 2700-6500 K
I 142 → 77 mm
15 000 h / IP20 / plastic



BULB E27 G95

8720169076884
11 W eq. 75 W
1055 lm / 2700-6500 K
I 139 → 95 mm
25 000 h / IP20 / plastic



Tunable warm to cool white light



FILAMENT BULB CLEAR E14 C35

8718699787196
4,9 W eq. 40 W
470 lm / 2700-6500 K
1 113 ↔ 35 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 A60

8718699787158
7 W eq. 60 W
806 lm / 2700-6500 K
1 106 ↔ 60 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 A60 X2

8719514551053
7 W eq. 60 W
806 lm / 2700-6500 K
1 106 ↔ 60 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 ST64

8718699787172
7 W eq. 60 W
806 lm / 2700-6500 K
1 143 ↔ 64 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G95

8718699786694
7 W eq. 60 W
806 lm / 2700-6500 K
1 142 ↔ 95 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G125

8718699786717
7 W eq. 60 W
806 lm / 2700-6500 K
1 180 ↔ 125 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G200

8718699786731
6,7 W eq. 40 W
470 lm / 2700-6500 K
1 289 ↔ 200 mm
15 000 h / IP20 / glass



Tunable warm to cool white light



FILAMENT BULB AMBER E14 C35

8718699787257
4,9 W eq. 25 W
370 lm / 2000-5000 K
I 113 → 35 mm
15 000 h / IP20 / glass

G



FILAMENT BULB AMBER E27 A60

8718699787219
7 W eq. 50 W
640 lm / 2000-5000 K
I 106 → 60 mm
15 000 h / IP20 / glass

F



FILAMENT BULB AMBER E27 ST64

8718699787233
7 W eq. 50 W
640 lm / 2000-5000 K
I 143 → 64 mm
15 000 h / IP20 / glass

F



FILAMENT BULB AMBER E27 PS160

8718699786854
6 W eq. 25 W
390 lm / 2000-5000 K
I 296 → 160 mm
15 000 h / IP20 / glass

G



FILAMENT BULB AMBER E27 G95

8718699786793
7 W eq. 50 W
640 lm / 2000-5000 K
I 142 → 95 mm
15 000 h / IP20 / glass

F



FILAMENT BULB AMBER E27 G125

8718699786816
7 W eq. 50 W
640 lm / 2000-5000 K
I 180 → 125 mm
15 000 h / IP20 / glass

F



FILAMENT BULB AMBER E27 G200

8718699786830
6 W eq. 25 W
390 lm / 2000-5000 K
I 289 → 200 mm
15 000 h / IP20 / glass

G



FILAMENT BULB AMBER E27 ST64 X2

8719514551077
7 W eq. 50 W
640 lm / 2000-5000 K
I 143 → 64 mm
15 000 h / IP20 / glass

G




FILAMENT BULB SET AMBER E27 ST64 X2 + WIZMOTE

8719514550155
7 W eq. 50 W
640 lm / 2000-5000 K
I 143 → 64 mm
15 000 h / IP20 / glass

G



Tunable warm to cool white light



BULB E27 A60

8720169076037
4,3 W eq. 60 W
903 lm / 2700-4000 K
1127 ↔ 60 mm
50 000 h / IP20 / glass



* Compared to standard WIZ E27 A60 60 W bulb.



CANDLE E14 C37

8718699787097
4,9 W eq. 40 W
470 lm / 2200-6500 K
116 ↔ 39 mm
15 000 h / IP20 / plastic



CANDLE SPACESENSE™ E14 C37 X3

8720169075672
4,9 W eq. 40 W
470 lm / 2200-6500 K
116 ↔ 39 mm
15 000 h / IP20 / plastic



BULB E14 P45

8719514554658
4,9 W eq. 40 W
470 lm / 2200-6500 K
101 ↔ 45 mm
15 000 h / IP20 / plastic



SPOT GU10

8720169076761
4,7 W eq. 50 W
400 lm / 2200-6500 K
158 ↔ 50 mm
15 000 h / IP20 / plastic, glass



SPOT SPACESENSE™ GU10 X3

8720169076662
4,7 W eq. 50 W
400 lm / 2200-6500 K
158 ↔ 50 mm
15 000 h / IP20 / plastic, glass



BULB E27 A60

8720169072299
8,5 W eq. 60 W
806 lm / 2200-6500 K
122 ↔ 60 mm
25 000 h / IP20 / plastic



BULB E27 A60 X2

8720169072336
8,5 W eq. 60 W
806 lm / 2200-6500 K
122 ↔ 60 mm
25 000 h / IP20 / plastic



BULB SPACESENSE™ E27 A60 X3

8720169075610
8,8 W eq. 60 W
806 lm / 2200-6500 K
122 ↔ 60 mm
25 000 h / IP20 / plastic





BULB E27 A60 + WiZMOTE

8720169074996
8,5 W eq. 60 W
806 lm / 2200-6500 K
I 122 → 60 mm
25 000 h / IP20 / plastic



BULB E27 A60 X2 + WiZMOTE

8720169074972
8,5 W eq. 60 W
806 lm / 2200-6500 K
I 122 → 60 mm
25 000 h / IP20 / plastic



BULB E27 A67

8718699786199
13 W eq. 100 W
1521 lm / 2200-6500 K
I 142 → 77 mm
15 000 h / IP20 / plastic



BULB E27 P45

8719514554672
4,9 W eq. 40 W
470 lm / 2200-6500 K
I 101 → 45 mm
15 000 h / IP20 / plastic



BULB E27 G95

8720169072275
11 W eq. 75 W
1055 lm / 2200-6500 K
I 139 → 95 mm
25 000 h / IP20 / plastic



BULB E27 A80

8719514554634
18,5 W eq. 150 W
2452 lm / 2200-6500 K
I 163 → 83 mm
15 000 h / IP20 / plastic







FILAMENT BULB CLEAR E27 A60

8720169072176
6,3 W eq. 40 W
470 lm / 2200-6500 K
1 108 ↔ 60 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 ST64

8720169072213
6,3 W eq. 40 W
470 lm / 2200-6500 K
1 143 ↔ 64 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G95

8720169072190
6,3 W eq. 40 W
470 lm / 2200-6500 K
1 142 ↔ 95 mm
15 000 h / IP20 / glass



PHILIPS SMART LED BULBS



Philips Smart LED bulbs operate on the WiZ system and are compatible with all WiZ devices





Dimmable warm white



CANDLE E14 C37

8719514372368
4,9 W eq. 40 W
470 lm / 2700 K
116 ↔ 39 mm
15 000 h / IP20 / plastic



SPOT GU10

8719514372306
4,7 W eq. 50 W
400 lm / 2700 K
158 ↔ 50 mm
15 000 h / IP20 / plastic



BULB E27 A60

8719514372566
8 W eq. 60 W
806 lm / 2700 K
122 ↔ 60 mm
25 000 h / IP20 / plastic





Tunable warm to cool white light



CANDLE E14 C37

8719514372382
4,9 W eq. 40 W
470 lm / 2700-6500 K
↑ 116 → 39 mm
15 000 h / IP20 / plastic

F



CANDLE SPACESENSE™ E14 C37 X3

8720169210332
4,9 W eq. 40 W
470 lm / 2700-6500 K
↑ 116 → 39 mm
15 000 h / IP20 / plastic

F



SPOT GU10

8720169296787
4,7 W eq. 50 W
400 lm / 2700-6500 K
↑ 58 → 50 mm
15 000 h / IP20 / plastic, glass

F



SPOT SPACESENSE™ GU10 X3

8720169296701
4,7 W eq. 50 W
400 lm / 2700-6500 K
↑ 58 → 50 mm
15 000 h / IP20 / plastic, glass

F



BULB E27 A60

8720169302990
8 W eq. 60 W
806 lm / 2700-6500 K
↑ 122 → 60 mm
25 000 h / IP20 / plastic

F



BULB E27 A60 X2

8720169303034
8 W eq. 60 W
806 lm / 2700-6500 K
↑ 122 → 60 mm
25 000 h / IP20 / plastic

F



BULB SPACESENSE™ E27 A60 X3

8720169303010
8 W eq. 60 W
806 lm / 2700-6500 K
↑ 122 → 60 mm
25 000 h / IP20 / plastic

F



FROSTED GLASS BULB E27 A60

8719514372566
7 W eq. 60 W
806 lm / 2700-6500 K
↑ 106 → 60 mm
15 000 h / IP20 / glass

E



BULB E27 A67

8719514372528
13 W eq. 100 W
1521 lm / 2700-6500 K
↑ 142 → 77 mm
15 000 h / IP20 / plastic

E



BULB E27 G95

8720169303058
11 W eq. 75 W
1055 lm / 2700-6500 K
↑ 139 → 95 mm
25 000 h / IP20 / plastic

F

Tunable warm to cool white light



FILAMENT BULB CLEAR E14 C35

8719514372061
4,9 W eq. 40 W
470 lm / 2700-6500 K
1 113 ↔ 35 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 A60

8719514371989
7 W eq. 60 W
806 lm / 2700-6500 K
1 106 ↔ 60 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 ST64

8719514372245
7 W eq. 60 W
806 lm / 2700-6500 K
1 143 ↔ 64 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G95

8719514372184
7 W eq. 60 W
806 lm / 2700-6500 K
1 142 ↔ 95 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G125

8719514372108
7 W eq. 60 W
806 lm / 2700-6500 K
1 180 ↔ 125 mm
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G200

8719514372146
6,7 W eq. 40 W
470 lm / 2700-6500 K
1 289 ↔ 200 mm
15 000 h / IP20 / glass



Tunable warm to cool white light



FILAMENT BULB AMBER E14 C35

8719514372085
4,9 W eq. 25 W
370 lm / 2000-5000 K
I 113 → 35 mm
15 000 h / IP20 / glass



FILAMENT BULB AMBER E27 A60

8719514372023
7 W eq. 50 W
640 lm / 2000-5000 K
I 106 → 60 mm
15 000 h / IP20 / glass



FILAMENT BULB AMBER E27 ST64

8719514372269
7 W eq. 50 W
640 lm / 2000-5000 K
I 143 → 64 mm
15 000 h / IP20 / glass



FILAMENT BULB AMBER E27 PS160

8719514372221
6 W eq. 25 W
390 lm / 2000-5000 K
I 296 → 160 mm
15 000 h / IP20 / glass



FILAMENT BULB AMBER E27 G95

8719514372207
7 W eq. 50 W
640 lm / 2000-5000 K
I 142 → 95 mm
15 000 h / IP20 / glass



FILAMENT BULB AMBER E27 G125

8719514372122
7 W eq. 50 W
640 lm / 2000-5000 K
I 180 → 125 mm
15 000 h / IP20 / glass




FILAMENT BULB AMBER E27 G200

8719514372160
6 W eq. 25 W
390 lm / 2000-5000 K
I 289 → 200 mm
15 000 h / IP20 / glass





Tunable warm to cool white light



BULB E27 A60

8720169241435
4,3 W eq. 60 W
903 lm / 2700-4000 K
↑ 127 → 60 mm
50 000 h / IP20 / glass



* Compared to standard Philips Smart LED E27 A60 60 W bulb.





CANDLE E14 C37

8719514372405
4,9 W eq. 40 W
470 lm / 2200-6500 K
116 → 39 mm
15 000 h / IP20 / plastic



CANDLE SPACESENSE™ E14 C37 X3

8720169210318
4,9 W eq. 40 W
470 lm / 2200-6500 K
116 → 39 mm
15 000 h / IP20 / plastic



BULB E14 P45

8719514437333
4,9 W eq. 40 W
470 lm / 2200-6500 K
101 → 45 mm
15 000 h / IP20 / plastic



SPOT GU10

8720169296800
4,7 W eq. 50 W
345 lm / 2200-6500 K
58 → 50 mm
15 000 h / IP20 / plastic, glass



SPOT SPACESENSE™ GU10 X3

8720169296725
4,7 W eq. 50 W
400 lm / 2200-6500 K
58 → 50 mm
15 000 h / IP20 / plastic, glass



BULB E27 A60

8720169170933
8,5 W eq. 60 W
806 lm / 2200-6500 K
122 → 60 mm
25 000 h / IP20 / plastic



BULB E27 A60 X2

8720169171060
8,5 W eq. 60 W
806 lm / 2200-6500 K
122 → 60 mm
25 000 h / IP20 / plastic



BULB SPACESENSE™ E27 A60 X3

8720169204423
8,8 W eq. 60 W
806 lm / 2200-6500 K
122 → 60 mm
25 000 h / IP20 / plastic



BULB E27 A67

8719514372542
13 W eq. 100 W
1521 lm / 2200-6500 K
142 → 77 mm
15 000 h / IP20 / plastic



BULB E27 P45

8719514437395
4,9 W eq. 40 W
470 lm / 2200-6500 K
101 → 45 mm
15 000 h / IP20 / plastic



BULB E27 G95

8720169170919
11 W eq. 75 W
1055 lm / 2200-6500 K
139 → 95 mm
25 000 h / IP20 / plastic



BULB E27 A80

8719514437319
18,5 W eq. 150 W
2452 lm / 2200-6500 K
163 → 83 mm
15 000 h / IP20 / plastic







FILAMENT BULB CLEAR E27 A60

8720169165779
6,3 W eq. 40 W
470 lm / 2200-6500 K
1108 ↔ 60
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 ST64

8720169165816
6,3 W eq. 40 W
470 lm / 2200-6500 K
1143 ↔ 64
15 000 h / IP20 / glass



FILAMENT BULB CLEAR E27 G95

8720169165793
6,3 W eq. 40 W
470 lm / 2200-6500 K
H 142 J 95 mm
15 000 h / IP20 / glass



WIZ PORTABLE LAMPS





HERO PORTABLE LAMP

8719514551718
9 W / 25 000 h
620 lm / 2200-6500 K
1 150 ↔ 158 mm
IP20 / plastic



SQUIRE TABLE LAMP

8719514553026
9 W / 25 000 h
620 lm / 2200-6500 K
1 134 ↔ 134 mm
IP20 / plastic /
dual zone light effect



MOBILE PORTABLE LIGHT

8719514554412
13,5 W / 25 000 h
400 lm / 2200-6500 K
1 116 ↔ 193 mm
IP20 / plastic /
dual zone light effect /
rechargeable built-in battery



BAR LINEAR LIGHT

8719514554153
5,5 W / 25 000 h
400 lm / 2200-6500 K
1 300 ↔ 45 / 42 mm
IP20 / plastic



BAR LINEAR LIGHT DOUBLE

8719514554177
10,5 W / 25 000 h
800 lm / 2200-6500 K
1 600 ↔ 45 / 42 mm
IP20 / plastic



PORTRAIT DESK LAMP

8720169072695
Tunable warm to cool white light
10,5 W / 25 000 h
800 lm / 2200-6500 K
1 600 ↔ 45 / 42 mm
IP20 / plastic



WIZ LUMINAIRES AND LIGHTSTRIPS





POLE FLOOR LIGHT

8719514554375
13 W / 25 000 h
1080 lm / 2200-6500 K
1 180 → 1500 mm
IP20 / plastic



LED STRIP 2 M STARTER KIT

8718699788162
20 W / 15 000 h
1600 lm / 2700-6500 K
1 2000 → 12 ↗ 2,2 mm
IP20 / plastic /
can be extended and cut



LED STRIP 1 M EXTENSION

8719514261082
11 W / 15 000 h
880 lm / 2700-6500 K
1 1000 → 12 ↗ 2,2 mm
IP20 / plastic



NEON FLEX STRIP 3 M

8720169072510
24 W / 15 000 h
150 lm / 2700-5000 K
1 3000 → 17 ↗ 10 mm
IP20 / silicone



LED STRIP 4 M

8720169071216
13 W / 15 000 h
840 lm / 2700-5000 K
1 4000 → 12 ↗ 2,2 mm
IP20 / plastic /
can not be extended or cut



RGB LED STRIP 4 M

TAŠMA LED 4 M
8720169078222
X W / 15 000 h
X lm / 2700-5000 K
1 4000 → 10 mm ↗ 2,1 mm
IP20 / silicone / can be cut



RGB LED STRIP 10 M

8720169077669
X W / 15 000 h
X lm / 2700-5000 K
1 1000 → 10 mm ↗ 2,1 mm
IP20 / silicone / can be cut



RGBIC LED STRIP 10 M

8720169077683
X W / 15 000 h
X lm / 2700-5000 K
1 1000 → 10 mm ↗ 2,1 mm
IP20 / silicone / can be cut

WIZ SPOTLIGHTS



Tunable warm to cool white light



IMAGEO 1X ADJUSTABLE SPOTLIGHT

8719514551756
5 W / 15 000 h
345 lm / 2700-6500 K
180 ↔ 105 ↗ 123 mm
IP20 / metal / white



IMAGEO 1X ADJUSTABLE SPOTLIGHT

8719514551817
5 W / 15 000 h
345 lm / 2700-6500 K
180 ↔ 105 ↗ 123 mm
IP20 / metal / black



IMAGEO 2X ADJUSTABLE SPOTLIGHT

8719514551770
5 W / 15 000 h
690 lm / 2700-6500 K
1250 ↔ 105 ↗ 123 mm
IP20 / metal / white



IMAGEO 2X ADJUSTABLE SPOTLIGHT

8719514551831
5 W / 15 000 h
690 lm / 2700-6500 K
1250 ↔ 105 ↗ 123 mm
IP20 / metal / black



IMAGEO 3X ADJUSTABLE SPOTLIGHT

8719514551794
5 W / 15 000 h
1035 lm / 2700-6500 K
1440 ↔ 105 ↗ 123 mm
IP20 / metal / white



IMAGEO 3X ADJUSTABLE SPOTLIGHT

8719514551855
5 W / 15 000 h
1035 lm / 2700-6500 K
1440 ↔ 105 ↗ 123 mm
IP20 / metal / black





UP&DOWN WALL SPOTLIGHT

8719514554597
5 W / 15 000 h
690 lm / 2200-6500 K
1 92 ↔ 68 ↗ 150 mm
IP20 / metal / white



UP&DOWN WALL SPOTLIGHT

8719514554610
5 W / 15 000 h
690 lm / 2200-6500 K
1 92 ↔ 68 ↗ 150 mm
IP20 / metal / black



IMAGEO 1X ADJUSTABLE SPOTLIGHT

8719514551879
5 W / 25 000 h
345 lm / 2200-6500 K
1 80 ↔ 105 ↗ 123 mm
IP20 / metal / white



IMAGEO 1X ADJUSTABLE SPOTLIGHT

8719514551930
5 W / 15 000 h
345 lm / 2200-6500 K
1 80 ↔ 105 ↗ 123 mm
IP20 / metal / black



IMAGEO 2X ADJUSTABLE SPOTLIGHT

8719514551893
5 W / 25 000 h
690 lm / 2200-6500 K
1 250 ↔ 105 ↗ 123 mm
IP20 / metal / white



IMAGEO 2X ADJUSTABLE SPOTLIGHT

8719514551954
5 W / 15 000 h
690 lm / 2200-6500 K
1 250 ↔ 105 ↗ 123 mm
IP20 / metal / black





IMAGED 3X ADJUSTABLE SPOTLIGHT

8719514551916
5 W / 15 000 h
1035 lm / 2200-6500 K
1 440 → 105 ↗ 123 mm
IP20 / metal / white



IMAGED 3X ADJUSTABLE SPOTLIGHT

8719514551978
5 W / 15 000 h
1035 lm / 2200-6500 K
1 440 → 105 ↗ 123 mm
IP20 / metal / black



IMAGED 3X ADJUSTABLE SPOTLIGHT

8719514554511
5 W / 15 000 h
1035 lm / 2200-6500 K
1 210 → 123 mm
IP20 / metal / white



IMAGED 3X ADJUSTABLE SPOTLIGHT

8719514554535
5 W / 15 000 h
1035 lm / 2200-6500 K
1 210 → 123 mm
IP20 / metal / black



IMAGED 4X ADJUSTABLE SPOTLIGHT

8719514554559
5 W / 15 000 h
1380 lm / 2200-6500 K
1 220 → 220 ↗ 123 mm
IP20 / metal / white



IMAGED 4X ADJUSTABLE SPOTLIGHT

8719514554573
5 W / 15 000 h
1380 lm / 2200-6500 K
1 220 → 220 ↗ 123 mm
IP20 / metal / black



WIZ CEILING LIGHTS





ADRIA CEILING LIGHT

8719514338050
17 W / 15 000 h
1600 lm / 2700 K
1 320 ↔ 68 mm
IP20 / plastic / white



ADRIA CEILING LIGHT

8719514338074
17 W / 15 000 h
1700 lm / 4000 K
1 320 ↔ 68 mm
IP20 / plastic / white



Tunable warm to cool white light



SUPERSLIM CEILING LIGHT

8719514337978
14 W / 20 000 h
1300 lm / 2700-6500 K
1 242 ↔ 23 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8719514337992
14 W / 20 000 h
1300 lm / 2700-6500 K
1 242 ↔ 23 mm
IP20 / plastic / black



SUPERSLIM CEILING LIGHT

8719514338012
16 W / 20 000 h
1500 lm / 2700-6500 K
1 292 ↔ 23 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8719514338036
16 W / 20 000 h
1500 lm / 2700-6500 K
1 292 ↔ 23 mm
IP20 / plastic / black



SUPERSLIM CEILING LIGHT

8719514554931
22 W / 20 000 h
2450 lm / 2700-6500 K
1 430 ↔ 23 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8719514554979
32 W / 20 000 h
3800 lm / 2700-6500 K
1 550 ↔ 28 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8719514554955
22 W / 20 000 h
2450 lm / 2700-6500 K
1 430 ↔ 23 mm
IP20 / plastic / black



SUPERSLIM CEILING LIGHT

8720169071018
32 W / 20 000 h
3800 lm / 2700-6500 K
1 550 ↔ 28 mm
IP20 / plastic / black



Tunable warm to cool white light



PANEL CEILING LIGHT

8719514554894
12 W / 20 000 h
1000 lm / 2700-6500 K
↑ 300 ↔ 300 ↗ 42 mm
IP20 / plastic / white



PANEL CEILING LIGHT

8719514554917
12 W / 20 000 h
1000 lm / 2700-6500 K
↑ 300 ↔ 300 ↗ 42 mm
IP20 / plastic / black



PANEL CEILING LIGHT

8719514554856
36 W / 20 000 h
3400 lm / 2700-6500 K
↑ 600 ↔ 600 ↗ 42 mm
IP20 / plastic / white



PANEL CEILING LIGHT

8719514554870
36 W / 20 000 h
3400 lm / 2700-6500 K
↑ 600 ↔ 600 ↗ 42 mm
IP20 / plastic / black



PANEL CEILING LIGHT


8720169071391
36 W / 20 000 h
3400 lm / 2700-6500 K
↑ 1195 ↔ 295 ↗ 40 mm
IP20 / plastic / white



PANEL CEILING LIGHT

8720169071414
36 W / 20 000 h
3400 lm / 2700-6500 K
↑ 1195 ↔ 295 ↗ 40 mm
IP20 / plastic / black







RUNE CEILING LIGHT

8719514554276
21 W / 20 000 h
2100 lm / 2700-6500 K
1 400 → 45 mm
IP20 / plastic / white
dual zone light effect



RUNE CEILING LIGHT

8719514554290
21 W / 20 000 h
2100 lm / 2700-6500 K
1 400 → 45 mm
IP20 / plastic / black
dual zone light effect



SUPERSLIM CEILING LIGHT

8720169072619
22 W / 20 000 h
2600 lm / 2700-6500 K
1 32 → 423 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8720169072633
22 W / 20 000 h
2600 lm / 2700-6500 K
1 32 → 423 mm
IP20 / plastic / black



SUPERSLIM CEILING LIGHT

8720169072657
32 W / 20 000 h
3750 lm / 2700-6500 K
1 38 → 545 mm
IP20 / plastic / white



SUPERSLIM CEILING LIGHT

8720169072671
32 W / 20 000 h
3750 lm / 2700-6500 K
1 38 → 545 mm
IP20 / plastic / black



WIZ OUTDOOR LIGHTS





STRING LIGHTS

8719514554450
8 W / 15 000 h
120 lm / 2700 K
1 14800 ↔ 45 mm
IP65 / plastic

OUTDOOR LED STRIP 5 M

8720169074859
24 W / 15 000 h
630 lm / 2700-5000 K
1 7940 ↔ 76 ↗ 45 mm
IP65 / silicone



FAIRY LIGHT

8720169076969
15 W / 15 000 h
2700-5000 K
1 20000
IP44 / plastic / for indoor
and outdoor use



ELPAS WALL LIGHT

8720169071254
8,5 W / 25 000 h
650 lm / 2700-5000 K
1 164 ↔ 134 ↗ 109 mm
IP65 / metal, plastic



GROUND SPOT STARTER KIT

8720169071599
10 W / 25 000 h
540 lm / 2700-5000 K
1 8800 ↔ 202 ↗ 74 mm
IP65 / metal / low volt



GROUND SPOT EXTENSION

8720169071650
4 W / 25 000 h
270 lm / 2700-5000 K
1 3000 ↔ 202 ↗ 74 mm
IP65 / metal / low volt



WALL LIGHT

8720169076181
9,5 W / 25 000 h
600 lm / 2700-5000 K
1 227 ↔ 228 ↗ 170 mm
IP44



BOLLARD STARTER KIT

8720169071797
4,8 W / 25 000 h
320 lm / 2700-5000 K
1 108,8 ↔ 518 mm
IP65 / metal / low volt



BOLLARD EXTENSION

8720169071858
3,6 W / 25 000 h
320 lm / 2700-5000 K
1 108,8 ↔ 518 mm
IP65 / metal / low volt



WIZ ACCESSORIES





PORTABLE SMART BUTTON

8719514554795
1 64 → 64 mm
IP20 / plastic
AAA battery



WIRELESS SENSOR

8718699788209
1 50 → 62 / 62 mm
IP20 / plastic
AA battery



REMOTE CONTROL WIZMOTE

8718699789220
1 135 → 38 / 15 mm
IP20 / plastic
AAA battery



SMART PLUG TYPE-E

8718699789343
Max 2300 W
1 58 → 59 / 49 mm
IP20 / plastic /
with grounding



SMART PLUG POWERMETER TYPE-E

8719514552708
Max 2300 W
1 58 → 59 / 49 mm
IP20 / plastic /
with grounding



TAP DIAL SWITCH

8720169077027
1 249 → 86 / 86 mm
IP20 / plastic / 5 V /
rechargeable battery



SMART PLUG TYPE-F

8718699789329
Max 2300 W
1 58 → 59 / 49 mm
IP20 / plastic



SMART PLUG POWERMETER TYPE-F

8719514552685
Max 2300 W
1 58 → 59 / 49 mm
IP20 / plastic



NFC TAG X4

8720169072411
self-adhesive
1 250 mm

WIZ HOME MONITORING





OUTDOOR WALL LIGHT WITH CAMERA

8720169072114
 wall light:
 17 W / 25 000 h
 600 lm / 2700-5000 K
 1375 ↔ 167 ↗ 115 mm
 IP44 / aluminium
 camera:
 1080 P / 120°
 WiFi (2.4GHz) / IP54



INDOOR CAMERA

8720169072039
 1080 P / 120°
 197 ↔ 67 ↗ 35 mm
 WiFi (2.4GHz) / IP20 / plastic



OUTDOOR CAMERA

8720169076822
 1080 P / 120°
 1146 ↔ 17,95 ↗ 123,5 mm
 WiFi (2.4GHz) / IP54 / plastic



HOME MONITORING STARTER KIT

8720169075016
 bulbs:
 8,5 W eq. 60 W
 806 lm / 2200-6500 K
 1122 ↔ 60 mm
 25 000 h / IP20 / plastic
 camera:
 1080 P / 120°
 197 ↔ 67 ↗ 35 mm
 WiFi (2.4GHz) / IP20 / plastic



CONTACT SENSOR X2

8720169077065
 1455 ↔ 755 ↗ 160,5 mm
 plastic / white



CONTACT SENSOR

8720169077041
 1455 ↔ 755 ↗ 160,5 mm
 plastic / white

BETTER TOGETHER WITH WiZ PARTNERS

WiZ works with major smart home ecosystems worldwide, so you can control WiZ with your preferred system or device. Now you can also make WiZ lights work with any Matter* device to make your smart home even smarter.



* Only lights and smart plugs produced after Q2 2021 support Matter.



INDEX

BULBD

WiZ BULBS

	Wi-Fi BLE 40W C37 E14 927 DIM 1PF/6	8718699786212	P.13
	Wi-Fi BLE 50W GU10 927 DIM 1PF/6	8718699786250	P.13
	Wi-Fi BLE 60W A60 E27 927 DIM 1PF/6	8718699786038	P.13
	Wi-Fi BLE 60W A60 E27 927 DIM 2PF/6	8719514550070	P.13
	Wi-Fi BLE 40W C37 E14 927-65 TW 1PF/6	8718699787073	P.15
	Wi-Fi BLE 40W C37 E14 927-65 TW 3CT/6	8720169075696	P.15
	Wi-Fi BLE 50W GU10 927-65 TW 1PF/6	8720169076747	P.15
	Wi-Fi BLE 60W A60 E27 927-65 TW 1PF/6	8720169076945	P.15
	Wi-Fi BLE 60W A60 E27 827-65 TW 2PF/6	8720169076921	P.15
	Wi-Fi BLE 100W A67 E27 927-65 TW 1PF/6	8718699786175	P.15
	Wi-Fi BLE 75W G95 E27 927-65 TW 1PF/6	8720169076884	P.15
	Wi-Fi BLE 60W A60 E27 927-65 FR TW 1PF/6	8719514552081	P.15
	Wi-Fi BLE 40W C35 E14 927-65 CL 1PF/6	8718699787196	P.16
	Wi-Fi BLE 60W A60 E27 927-65 CL 1PF/6	8718699787158	P.16
	Wi-Fi BLE 60W A60 E27 927-65 CL 2PF/6	8719514551053	P.16
	Wi-Fi BLE 60W ST64 E27 927-65 CL 1PF/6	8718699787172	P.16
	Wi-Fi BLE 60W G95 E27 927-65 CL 1PF/6	8718699786694	P.16
	Wi-Fi BLE 60W G125 E27 927-65 CL 1PF/6	8718699786717	P.16
	Wi-Fi BLE 40W G200 E27 927-65 CL 1CT/2	8718699786731	P.16
	Wi-Fi BLE 25W C35 E14 920-50 Amb 1PF/6	8718699787257	P.17
	Wi-Fi BLE 50W A60 E27 920-50 Amb 1PF/6	8718699787219	P.17
	Wi-Fi BLE 40W PS160 E27 920-50 Amb 1CT/2	8718699786854	P.17
	Wi-Fi BLE 50W ST64 E27 920-50 Amb 1PF/6	8718699787233	P.17
	Wi-Fi BLE 50W G95 E27 920-50 Amb 1PF/6	8718699786793	P.17
	Wi-Fi BLE 50W G125 E27 920-50 Amb 1PF/6	8718699786816	P.17
	Wi-Fi BLE 40W G200 E27 920-50 Amb 1CT/2	8718699786830	P.17
	Wi-Fi BLE 50W ST64 E27 920-50 Amb 2PF/6	8719514551077	P.17
	Wi-Fi BLE 50W ST64 Amb TW 2PK+Remote	8719514550155	P.17
	Wi-Fi BLE 60W A60 E27 827-40 TW EELA 1PF	8720169076037	P.19
	Wi-Fi BLE 40W C37 E14 922-65 RGB 1PF/6	8718699787097	P.20
	Wi-Fi BLE 40W C37 E14 922-65 RGB 3CT/6	8720169075672	P.20
	Wi-Fi BLE 40W P45 E14 922-65 RGB 1PF/6	8719514554658	P.20
	Wi-Fi BLE 50W GU10 922-65 RGB 1PF/6	8720169076761	P.20
	Wi-Fi BLE 50W GU10 922-65 RGB 3CT/6	8720169076662	P.20
	Wi-Fi BLE 60W A60 E27 922-65 RGB 1PF/6	8720169072299	P.20
	Wi-Fi BLE 60W A60 E27 822-65 RGB 2PF/6	8720169072336	P.20
	Wi-Fi BLE 60W A60 E27 822-65 RGB 3CT/6	8720169075610	P.20
	Wi-Fi BLE 60W A60 E27 RGB 1PK + Remote	8720169074996	P.21

	Wi-Fi BLE 60W A60 E27 RGB 2PK + Remote	8720169074972	P.21
	Wi-Fi BLE 100W A67 E27 922-65 RGB 1PF/6	8718699786199	P.21
	Wi-Fi BLE 40W P45 E27 922-65 RGB 1PF/6	8719514554672	P.21
	Wi-Fi BLE 75W G95 E27 922-65 RGB 1PF/6	8720169072275	P.21
	Wi-Fi BLE 150W A80 E27 922-65 RGB 1PF/6	8719514554634	P.21
	Wi-Fi BLE A60 E27 922-65 RGB CL 1PF/6	8720169072176	P.23
	Wi-Fi BLE ST64 E27 922-65 RGB CL 1PF/6	8720169072213	P.23
	Wi-Fi BLE G95 E27 922-65 RGB CL 1PF/6	8720169072190	P.23

PHILIPS SMART LED BULBS

	PHI WFB 40W C37 E14 927 DIM 1PF/6	8719514372368	P.27
	PHI WFB 50W GU10 927 DIM 1PF/6	8719514372306	P.27
	PHI WFB 60W A60 E27 927 DIM 1PF/6	8719514372566	P.27
	PHI WFB 40W C37 E14 927-65 TW 1PF/6	8719514372382	P.29
	PHI WFB 40W C37 E14 927-65 TW 3CT/6	8720169210332	P.29
	PHI WFB 50W GU10 927-65 TW 1PF/6	8720169296787	P.29
	PHI WFB 50W GU10 927-65 TW 3CT/6	8720169296701	P.29
	PHI WFB 60W A60 E27 927-65 TW 1PF/6	8720169302990	P.29
	PHI WFB 60W A60 E27 827-65 TW 2PF/6	8720169303034	P.29
	PHI WFB 60W A60 E27 927-65 TW 1PF/6	8720169303010	P.29
	PHI WFB 60W A60 E27 927-65 FR TW 1PF/6	8719514372566	P.29
	PHI WFB 100W A67 E27 927-65 TW 1PF/6	8719514372528	P.29
	PHI WFB 75W G95 E27 927-65 TW 1PF/6	8720169303058	P.29
	PHI WFB 40W C35 E14 927-65 CL 1PF/6	8719514372061	P.30
	PHI WFB 60W A60 E27 927-65 CL 1PF/6	8719514371989	P.30
	PHI WFB 60W ST64 E27 927-65 CL 1PF/6	8719514372245	P.30
	PHI WFB 60W G95 E27 927-65 CL 1PF/6	8719514372184	P.30
	PHI WFB 60W G125 E27 927-65 CL 1PF/6	8719514372108	P.30
	PHI WFB 40W G200 E27 927-65 CL 1CT/2	8719514372146	P.30
	PHI WFB 25W C35 E14 920-50 Amb 1PF/6	8719514372085	P.31
	PHI WFB 50W A60 E27 920-50 Amb 1PF/6	8719514372023	P.31
	PHI WFB 50W ST64 E27 920-50 Amb 1PF/6	8719514372269	P.31
	PHI WFB 25W PS160 E27 920-50 Amb 1CT/2	8719514372221	P.31
	PHI WFB 50W G95 E27 920-50 Amb 1PF/6	8719514372207	P.31
	PHI WFB 50W G125 E27 920-50 Amb 1PF/6	8719514372122	P.31
	PHI WFB 25W G200 E27 920-50 Amb 1CT/2	8719514372160	P.31
	PHI WFB 25W G200 E27 920-50 Amb 1CT/2	8720169241435	P.33
	PHI WFB 40W C37 E14 922-65 RGB 1PF/6	8719514372405	P.35
	PHI WFB 40W C37 E14 922-65 RGB 3CT/6	8720169210318	P.35
	PHI WFB 40W P45 E14 922-65 RGB 1PF/6	8719514437333	P.35
	PHI WFB 50W GU10 922-65 RGB 1PF/6	8720169296800	P.35
	PHI WFB 50W GU10 922-65 RGB 3CT/6	8720169296725	P.35
	PHI WFB 60W A60 E27 922-65 RGB 1PF/6	8720169170933	P.35
	PHI WFB 60W A60 E27 822-65 RGB 2PF/6	8720169171060	P.35
	PHI WFB 60W A60 E27 822-65 RGB 3CT/6	8720169204423	P.35
	PHI WFB 100W A67 E27 922-65 RGB 1PF/6	8719514372542	P.35

	PHI WFB 40W P45 E27 922-65 RGB 1PF/6	8719514437395	P.35
	PHI WFB 75W G95 E27 922-65 RGB 1PF/6	8720169170919	P.35
	PHI WFB 150W A80 E27 922-65 RGB 1PF/6	8719514437319	P.35

Wiz PORTABLE LAMPS

	Hero Wiz Portable 9W 22-65K RGB	8719514551718	P.39
	SQUIRE Wiz Portable 9W 22-65K RGB	8719514553026	P.39
	Wi-Fi BLE True Portable EU Type C	8719514554412	P.39
	Wi-Fi BLE Bar Linear Light EU Single	8719514554153	P.39
	Wi-Fi BLE Bar Linear Light EU Dual	8719514554177	P.39
	Wi-Fi BLE Portrait Desk Lamp EU	8720169072695	P.39

Wiz LUMINAIRES AND LIGHTSTRIPS

	Wi-Fi BLE Floor Lamp EU Type C	8719514554375	P.41
	Wi-Fi LEDStrip 2M 1600lmStarterKit GE/FR	8718699788162	P.41
	Wi-Fi LED Strip 1M 880lm extension EU	8719514261082	P.41
	Wiz neon flex strip 3m kit Type-C	8720169072510	P.41
	Wiz RGBW LED strip kit 4m Type-C	8720169071216	P.41
	Wiz RGB LED strip 4m Type-C offline	8720169078222	P.41
	Wiz RGB LED strip 10m Type-C offline	8720169077669	P.41
	Wiz RGBIC LED strip 10m Type-C offline	8720169077683	P.41

Wiz SPOTLIGHTS

	IMAGEO Wiz Spots 1x5W W 27-65K TW	8719514551756	P.43
	IMAGEO Wiz Spots 1x5W B 27-65K TW	8719514551817	P.43
	IMAGEO Wiz Spots 2x5W W 27-65K TW	8719514551770	P.43
	IMAGEO Wiz Spots 2x5W B 27-65K TW	8719514551831	P.43
	IMAGEO Wiz Spots 3x5W W 27-65K TW	8719514551794	P.43
	IMAGEO Wiz Spots 3x5W B 27-65K TW	8719514551855	P.43
	IMAGEO Wiz Spots 1x5W W 22-65K RGB	8719514551879	P.44
	IMAGEO Wiz Spots 1x5W B 22-65K RGB	8719514551930	P.44
	Wiz Spots 2x5W W 22-65K RGB Wall	8719514554597	P.44
	Wiz Spots 2x5W B 22-65K RGB Wall	8719514554610	P.44
	IMAGEO Wiz Spots 2x5W W 22-65K RGB	8719514551893	P.44
	IMAGEO Wiz Spots 2x5W B 22-65K RGB	8719514551954	P.44
	IMAGEO Wiz Spots 3x5W W 22-65K RGB	8719514551916	P.45
	IMAGEO Wiz Spots 3x5W B 22-65K RGB	8719514551978	P.45
	IMAGEO Wiz Spots 3x5W W 22-65K RGB RD	8719514554511	P.45
	IMAGEO Wiz Spots 3x5W B 22-65K RGB RD	8719514554535	P.45
	IMAGEO Wiz Spots 4x5W W 22-65K RGB SQ	8719514554559	P.45
	IMAGEO Wiz Spots 4x5W B 22-65K RGB SQ	8719514554573	P.45

Wiz CEILING LIGHTS

	Wiz Adria Ceiling 12W RD 2700K Dim	8719514338050	P.47
	Wiz Adria Ceiling 12W RD 4000K Dim	8719514338074	P.47
	SuperSlim Wiz Ceiling 14W W RD 27-65K TW	8719514337978	P.48
	SuperSlim Wiz Ceiling 14W B RD 27-65K TW	8719514337992	P.48
	SuperSlim Wiz Ceiling 16W W RD 27-65K TW	8719514338012	P.48
	SuperSlim Wiz Ceiling 16W B RD 27-65K TW	8719514338036	P.48

	SuperSlim Wiz Ceiling 22W W RD 27-65K TW	8719514554931	P.48
	SuperSlim Wiz Ceiling 36W W RD 27-65K TW	8719514554979	P.48
	SuperSlim Wiz Ceiling 22W B RD 27-65K TW	8719514554955	P.48
	SuperSlim Wiz Ceiling 32W B RD 27-65K TW	8720169071018	P.48
	Panel Wiz Ceiling SQ 36W White 27-65K TW	8719514554856	P.49
	Panel Wiz Ceiling SQ 36W Black 27-65K TW	8719514554870	P.49
	Panel Wiz Ceiling SQ 12W White 27-65K TW	8719514554894	P.49
	Panel Wiz Ceiling SQ 12W Black 27-65K TW	8719514554917	P.49
	Panel Wiz Ceiling RT 36W White 27-65K TW	8720169071391	P.49
	Panel Wiz Ceiling RT 36W Black 27-65K TW	8720169071414	P.49
	Rune Wiz Ceiling 22W W 27-65K TW RGB	8719514554276	P.51
	Rune Wiz Ceiling 22W B 27-65K TW RGB	8719514554290	P.51
	SuperSlim Wiz Ceiling 22W W 27-65K RGB	8720169072619	P.51
	SuperSlim Wiz Ceiling 22W B 27-65K RGB	8720169072633	P.51
	SuperSlim Wiz Ceiling 32W W 27-65K RGB	8720169072657	P.51
	SuperSlim Wiz Ceiling 32W B 27-65K RGB	8720169072671	P.51

Wiz OUTDOOR LIGHTS

	Wiz 48ft String Lights EU Type C	8719514554450	P.53
	Wiz Outdoor RGBW LED strip kit 5m Type C	8720169074859	P.53
	Wi-Fi LED Fairy Light Type-C	8720169076969	P.53
	Wiz ELPAS Wall EU	8720169071254	P.53
	Wiz 12V Ground Spot Starter Kit EU C	8720169071599	P.53
	Wiz 12V Ground Spot Extension EU	8720169071650	P.53
	Wiz Wall Light Classic RGBW EU	8720169076181	P.53
	Wiz ELPAS 12V Bollard Starter Kit EU C	8720169071797	P.53
	Wiz ELPAS 12V Bollard Extension EU	8720169071858	P.53

Wiz ACCESSORIES

	Wiz Portable button EU	8719514554795	P.55
	Wiz Wireless Sensor w/batteries	8718699788209	P.55
	Smart Plug France	8718699789343	P.55
	Wiz Smart Plug powermeter Type-E Rechargeable rotary switch (DIAL SWITCH)	8719514552708	P.55
	Wiz Smart Plug Germany	8718699789329	P.55
	Wiz Smart Plug powermeter Type-F	8719514552685	P.55
	Wiz Remote Control w/batteries	8718699789220	P.55
	Wiz NFC tag 4 pieces	8720169072411	P.55

Wiz HOME MONITORING

	Wiz Indoor Camera	8720169072039	P.57
	Self-Monitoring Starter kit WIZ EU	8720169075016	P.57
	Wiz Outdoor Wall Light with Camera EU	8720169072114	P.57
	Wiz Outdoor Camera EU	8720169076822	P.57
	Wiz Contact sensor	8720169077041	P.57
	Wiz Contact sensor 2PK	8720169077065	P.57





© 2025 Signify Holding

The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon.

The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify.